

RE: Fw: Borrego Solar Project/Lanfear Property

Kornak, Kate F (DEC) <Kate.Kornak@dec.ny.gov>

Thu, Jun 24, 2021 at 1:45 PM

Good afternoon.

Thank you for submitting updated plans on June 16, 2021 which moves the proposed project out of the state-regulated freshwater wetland area. The nearest mapped state-regulated wetland is separated from the site by Route 5S and Egelston Rd. These roads represent definable breaks. Based on the information provided, onsite wetlands are not jurisdictional for the Department and therefore an Article 24 Freshwater wetland permit application is not required.

If you have any additional questions, please let me know.

Thank you,

Kate Kornak

Kate Kornak

Regional Permit Administrator

Region 4, Division of Environmental Permits

New York State Department of Environmental Conservation

1130 North Westcott Rd. Schenectady, NY 12306

P: (518) 357-2459 | kate.kornak@dec.ny.gov



From: Markku McGlynn <mmcglynn@shumakerengineering.com>

Sent: Wednesday, June 16, 2021 4:06 PM

To: Kornak, Kate F (DEC) <Kate.Kornak@dec.ny.gov>; Smith, Carolyn K (DEC) <Carolyn.Smith@dec.ny.gov>

Cc: Sherwood, Bradley J CIV USARMY CENAN (USA) srad.Sherwood@usace.army.mil; Gregory Gibbons ggibbons@borregosolar.com; Steve

Long <slong@borregosolar.com>

Subject: RE: Fw: Borrego Solar Project/Lanfear Property

ATTENTION: This email came from an external source. Do not open attachments or click on links from unknown senders or unexpected emails.

Kate/Carolyn, thank you for your June 10th letter response. As a follow up to the NYSDEC jurisdictional inquiry, we have attached an updated package removing the northeast portion of the site boundary in proximity to the 500' NYSDEC wetland checkzone.

To our understanding the State-regulated wetland TH-13 will not intersect any of our wetlands to the west of Revine Creek. We are understanding Revine Creek to be non-navigable and non-jurisdictional as a Class C (C) stream. Please let us know if you have a different interpretation however we anticipate avoiding the banks of the stream, limited to within 15'-20' from the OHW as observed. We will follow up with permitting next.
Thank you,
Markku McGlynn
Environmental Scientist IV Shumaker Consulting Engineering and Land Surveying, D.P.C.
C: 718-309-2846 mmcglynn@shumakerengineering.com www.shumakerengineering.com
PLEASE NOTE FOR FILE ATTACHMENTS LARGER THAN 15 MB PLEASE COORDINATE USE OF OUR COMPANY DROPBOX.
Forwarded message From: Smith, Carolyn K (DEC) < Carolyn.Smith@dec.ny.gov> Date: Thu, Jun 10, 2021, 5:04 PM Subject: Fw: Borrego Solar Project/Lanfear Property To: ggibbons@borregosolar.com < ggibbons@borregosolar.com>
My apologies, the first one kicked out your email address, so I am forwarding you a copy of the message and attachments.
Thank you.
Casey
From: Smith, Carolyn K (DEC) Sent: Thursday, June 10, 2021 5:00 PM To: thr56@frontier.com < thr56@frontier.com> Cc: Kornak, Kate F (DEC) < Kate. Kornak@dec.ny.gov> Subject: Borrego Solar Project/Lanfear Property
Dear Mr. Reilly;
Attached please find our Jurisdictional Inquiry Response and Map regarding the above referenced project. If you have any questions, please contact Kate Kornak at the information on the letter.
Thank you.
Casey Smith
Office Assistant I

The contents of this message may be privileged and confidential. Therefore, if this message has been received in error, please delete it without reading it. Your receipt of this message is not intended to waive any applicable privilege. Please do not disseminate this message without the permission of the sender.

The sender of this email may be acting on behalf of an entity or entities that are affiliated with Borrego Solar Systems, Inc. and that are involved in the subject matter of this email ("Subject Entities"). The use of "Borrego Solar Systems, Inc" in the contact information of the sender is solely for information purposes and should not be construed to implicate Borrego Solar Systems, Inc., or any of its other affiliates, for the obligations and liabilities of the Subject Entities.

2621 NYS Ste 5S_PJD Package_06.16.2021.pdf 6407K