


# **Stormwater Pollution Prevention Plan**

For  
**DAIM Logistics, Inc.**  
**Lot 3D**

At  
Xx Park Drive  
Fultonville, NY

Prepared By:



**Empire Engineering, PLLC**

1900 Duanesburg Road  
Duanesburg, NY 12056

**September 27, 2023**

## Table of Contents

Site Information & Evaluation	4
Project/Site Information	4
Contact Information	4
Drainage Patterns & Topography	4
Potential Sources of Pollution	5
Implementation Schedule	5
Notice of Intent	5
Historic Preservation	5
Endangered Species	5
Maps & Figures	5
Best Management Practices	6
Objectives	6
Phasing	6
Good Housekeeping	6
Spill Prevention Controls	6
Temporary Erosion & Sediment Controls	7
Control:	7
Maintenance:	7
Winter Shutdown	7
Final Stabilization	7
Ownership & Maintenance	8
Inspections & Recordkeeping	8
Inspection Requirements	8
Certifications	8
Documents Required On-Site	8
Drainage Analysis	9
Existing Runoff Condition	9
Proposed Development Condition	9
Water Quality & Quantity Controls	10
Selecting Post-Construction Practices	10
Water Quality	10
Water Quantity	11
Conclusion	11

## Appendices

Appendix A

Notice of Intent

Appendix B

OPRHP Correspondence

Appendix C

T&E Correspondence

Appendix D

Maps & Figures

Appendix E

O&M Manual

Appendix F

Certifications

Appendix G

Existing Drainage Map & Analysis

Appendix H

Proposed Drainage Map & Analysis

Appendix I

Water Quality Worksheets

Appendix J

Project Plan Sheets

## Site Information & Evaluation

### Project/Site Information

The subject project is the proposed 50,000 SF construction of a warehouse on site. The subject site is located at 128 Park Drive in Fultonville, NY. The parcel area is approximately 4.6 AC. The property is identified by Tax Map # 52.-4-3.111.

Anticipated Construction Start Date:

Anticipated Completion Date:

The total area of disturbance for the project including buildings, roadways, utilities, stormwater management and site grading is approximately 2.8± Acres. In accordance with the NYS DEC General Permit 0-20-001 Section II.D.3., the owner or operator of a construction activity shall not disturb greater than five (5) acres of soil at any one time without prior written authorization from the Regulated MS4.

### Contact Information

#### Owner/Operator:

DAIM Logistics, Inc.  
128 Park Drive  
Fultonville, NY 12072

#### Engineer:

Empire Engineering, PLLC  
1900 Duanesburg Road  
Duanesburg, NY 12056  
Contact: Christopher Longo, PE

#### Contractor:

Owner/Operator

### Drainage Patterns & Topography

Runoff from the project area drains northerly toward an off-site Regional Stormwater Detention Basin. The topography of the site can be generally described as level to slightly level. The site currently exists as a graveled area with intermittent brush/grass along the edges.

Soils on the site are silt loam as identified by the USDA Natural Resource Conservation Service web soil survey.

Mapped Soils (Per USDA NRCS Mapping)				
Symbol	Soil Name	Soil Description	Percentage of Site	Hydrologic Soil Group
Fr	Fredon	Silt Loam	33.0%	B
GP	Gravel Pits	Gravelly Sand	67.0%	

### Potential Sources of Pollution

The primary sources of pollution from an active construction site are erosion, siltation, debris transport, accidental spills or leakage of oils from equipment.

### Implementation Schedule

The construction sequence outlined below should be followed or amended as necessary to minimize the susceptibility of the site to erosion and sediment transport during construction. Proper construction of the following Erosion & Sediment Controls are detailed on Sheet C503 "E & SC Details".

1. Establish perimeter protections and stabilized construction entrances within work area
2. Construct temporary sediment traps in the location of permanent stormwater controls.
3. Once all erosion and sediment control measures are constructed and functional, disturbance may begin within that subject area.
4. Rough grade the project area, establish any swales and/or temporary check dams to divert runoff to storage areas.
5. Stabilize cut/fill slopes and stabilize internal roadway areas with subbase course as necessary.
6. Upon completion of grading, final seeding and full vegetative cover shall be established.
7. Prior to finalizing connection to the storm sewer system, all catch basins and drainage lines shall be cleaned of all silt and sediment.
8. Once final stabilization is achieved remove all temporary erosion and sediment control measures including silt fence, storm structure protections and temporary sediment basin components.

### Notice of Intent

The owner shall submit a Notice of Intent (NOI) to the New York State Department of Environmental Conservation and obtain authorization of construction activities before commencing work. A copy of this NOI is included within Appendix A.

### Historic Preservation

The Office of Parks, Recreation & Historic Preservation database was reviewed for potential Historic or Cultural significant data at or near the project site. The database revealed that the site is within an "archeologically sensitive bubble." A Phase 1A/1B cultural resource survey and Stage 2 was conducted as part of the SEQR process for the Glen Business Park, available mapping information as well as a new 'No Effect' confirmation letter is included within Appendix B.

### Endangered Species

The NYSDEC Environmental Resource Mapper was reviewed for potential records of state or federally listed threatened or endangered species. The site is not within an area designated as a "significant natural community" and therefore no additional review is warranted. The database results are included within Appendix C.

### Maps & Figures

Additional Maps indicating the site are included within Appendix D such as:

USGS Soils Map

Rainfall Quantities

## Best Management Practices

### Objectives

The primary objective of the Stormwater Pollution Prevention Plan is protecting adjacent areas from erosion and sediment transport and ensuring the quality of discharge water is acceptable. This is done by minimizing disturbed areas, protecting natural features and soil, phasing construction, stabilizing soils, and protecting storm inlets.

### Phasing

Construction of the subject site is intended to be conducted in one phase. The phase includes, first an expansion of the existing use with the construction of a new metal frame building for additional storage. Within the phase, attention should be paid to the required sequencing to ensure minimal sediment transport.

### Good Housekeeping

The owner/operator shall implement the following for the duration of construction:

- All stored materials shall be in a neat, orderly manner and under cover.
- Products shall be kept in original containers with a legible original manufacturer's label.
- Substances shall not be mixed with one another unless recommended by the manufacturer.
- Original labels and material safety data sheets (MSDS) shall be procured and used for each material.
- Whenever possible, the entire product shall be used up before disposing of a container.
- If surplus product must be disposed of, manufacturers or local/state/federal recommended methods for proper disposal shall be followed.
- Manufacturer's recommendations for proper use and disposal shall be followed.
- The job site superintendent shall be responsible for daily inspections to ensure proper use and disposal of materials, litter, chemicals and debris.

### Spill Prevention Controls

The following spill prevention controls shall be implemented for the duration of construction:

- The job site superintendent shall be the spill prevention and cleanup coordinator. He/she shall designate the individuals who will receive spill prevention and cleanup training. These individuals shall each become responsible for a phase of prevention and cleanup. The names of these personnel shall be posted in the material storage area and in the office trailer onsite.
- Manufacturer's recommended methods for spill cleanup shall be clearly posted and site personnel shall be trained regarding these procedures as well as the location of the information and cleanup supplies.
- Materials and equipment necessary for spill cleanup shall be kept in the material storage area onsite in spill control and containment kit (containing, for example, absorbent such as kitty litter or sawdust, acid neutralizing powder, brooms, dust pans, mops, rags, gloves, goggles, plastic and metal trash containers, etc.).
- All spills shall be cleaned up immediately after discovery.
- The spill area shall be kept well ventilated and personnel shall wear appropriate protective clothing to prevent injury from contact with the hazardous substances.
- Spills of toxic or hazardous materials shall be reported to the appropriate federal, state, and/or local government agency, regardless of the size of the spill. Spills of amounts that exceed

Reportable Quantities of certain substances specifically mentioned in federal regulations (40 CFR 302 list and oil) shall be immediately reported to:

- EPA National Response Center, telephone 1-800-424-8802.
- N.Y.S.D.E.C. 24 hour Spill Hotline, telephone 1-800-457-7362.

### Temporary Erosion & Sediment Controls

Temporary stormwater control measures shall be installed prior to active construction within each tributary area. Such temporary controls include but are not limited to:

#### Control:

- Silt fencing.
- Stabilized construction entrances.
- Inlet protection devices shall be installed around all storm basins within active disturbance areas or areas not yet finally stabilized.
- Dust shall be controlled with water on site and adjacent roadways.
- Designate a protected area to stockpile topsoil or other material stripped during excavation.
- Other temporary erosion and sediment control devices including catch basin sediment traps as necessary.
- Any refuse storage onsite shall be only in designated areas where runoff will not directly discharge through.
- See Sheet C503 - E&SC Details for further detail on installation and implementation of control practices

#### Maintenance:

- Once no longer active, disturbed areas shall be mulched to prevent sediment transport. Areas that are at or near finish grade shall be finally stabilized.
- Stockpiles of soil materials shall be stabilized with geotextile or seeding and be surrounded by silt fencing or berming.
- No area shall be left unstabilized more than 14 days after completion of construction activities within that area.
- Erosion control devices should be cleaned and repaired as necessary.
- Litter and construction debris shall be collected daily by the contractor, and properly disposed of.

### Winter Shutdown

The site may be considered within 'winter shutdown' if the following conditions are met. During winter shutdown, the site inspection frequency may be reduced to once per 30-days. All disturbed areas shall be temporarily stabilized and sediment basins shall be cleaned of silt and debris. During shutdown, access road shall be kept clear of snow and snow shall not be stockpiled in a location which inhibits runoff to sediment basin areas.

### Final Stabilization

Prior to the site being operational the following measures shall be implemented:

- All disturbed areas other than structures or pavement shall receive final seeding and vegetative growth.
- Catch basins shall be cleaned of silt for proper sump.

- Ponds and swales shall be finally shaped in accordance with the sizing details and shall be vegetated accordingly.
- Maintenance of ponds, swales and vegetative areas shall continue into operation of the site.
- All disturbed areas which will be vegetated shall be de-compacted, aerated and 6" of topsoil applied prior to vegetating. Additional soil restoration may be required for heavy trafficked areas. Additional restoration shall be conducted in accordance with the NYSDEC Stormwater Design Manual Table 5.3.
- Upon achieving greater than 80% vegetative growth on the disturbed site, temporary erosion and sediment controls may be removed.

### Ownership & Maintenance

The proposed stormwater management facilities indicated on the site are intended to be privately owned and maintained. The owner/operator shall adhere to the Ownership and Maintenance Manual within Appendix E. In accordance with the Notice of Termination requirements, a deed covenant shall be filed identifying the long-term maintenance responsibility of the Owner to ensure long term operation and maintenance of the post-construction stormwater management facilities.

### Inspections & Recordkeeping

#### Inspection Requirements

The owner/operation shall perform routine inspections and either correct or direct the contractor to correct deficiencies as they arise in a timely manner. The contractor shall familiarize themselves with this document and its required components prior to commencing work. Each day that the contractor is performing work on-site there shall be a 'trained individual' who is responsible for implementation of the SWPPP components.

The owner shall have a qualified inspector conduct a site inspection at least one per seven calendar days while disturbance activities are on-going. The inspector shall at a minimum, inspect erosion & sediment control practices and pollution prevention measures to ensure integrity and effectiveness, all post-construction stormwater management practices under construction to ensure that they are constructed in conformance with the SWPPP, all areas of disturbance that have not achieved final stabilization, all points of discharge to natural surface waterbodies located within, or immediately adjacent to, the property boundaries of the construction site, and all points of discharge from the construction site.

The qualified inspector shall prepare and inspection report in accordance with the General Permit and distribute to the owner and appropriate contractor within 24 hours.

#### Certifications

The SWPPP preparer, owner and contractor shall sign the applicable certification forms included within Appendix F.

#### Documents Required On-Site

The owner or operator shall maintain a copy of the current General Permit, NOI, NYSDEC Acknowledgment of NOI, SWPPP, MS4 SWPPP Acceptance form, inspection reports, and all documentation necessary to demonstrate eligibility with this permit at the construction site until all disturbed areas have achieved final stabilization and the NOT has been submitted to the Department. The documents must be maintained in a secure location, such as a job trailer, on-site construction office,



or mailbox with lock. The secure location must be accessible during normal business hours to an individual performing a compliance inspection.

## Drainage Analysis

### Existing Runoff Condition

The existing site drainage characteristics include a rolling east to west heavily wooded area that were analyzed to determine baseline peak flow rates for the project. Stormwater runoff from the site was analyzed utilizing software applying the TR-55 hydrologic analysis method. The channel protection volume was determined utilizing the peak discharge from the TR-55 method and the Hydrologic Analysis tolls in Appendix B of the New York State Stormwater Management Design Manual. A summary of these peak flow rates is included below as well as the full drainage map & analysis within Appendix G.

Channel Protection Volume (acre-feet)	
	1-Year (Cpv)
Analysis Point A	0.095

Peak Flow Rates (CFS)		
	10-Year Storm (Qp)	100-Year Storm (Qf)
Analysis Point A	5.19	11.92

### Proposed Development Condition

The proposed site drainage characteristics were analyzed in relation to the existing baseline to determine required storage volumes for the site. Changes in impervious cover, sub-catchment area and times of concentration were all considered in conducting the analysis. A summary of these peak flow rates is included below as well as the full drainage map & analysis within Appendix H.

Channel Protection Volume (acre-feet)		
	EX 1-Year Storm (Cpv)	PR 1-Year Storm (Cpv)
Analysis Point A	0.095	0.107

In addition to the channel protection volume indicated above, the proposed conditions provide 24-hour extended detention of the 1-year, 24-hour storm event in accordance with the NYS DEC General Permit 0-20-001 Section I.C.2.a.ii. This is indicated on the hydrograph storage plot provided in Appendix H.

Peak Flow Rates (CFS)				
	EX 10-Year Storm (Qp)	PR 10-Year Storm (Qp)	EX 100-Year Storm (Qf)	PR 100-Year Storm (Qf)
Analysis Point A	5.19	1.43	11.92	8.14

## Water Quality & Quantity Controls

### Selecting Post-Construction Practices

Post-construction stormwater management practices were carefully selected considering the matrices provided by the NYS DEC Stormwater Management Design Manual. Screening factors included 1. Land Use 2. Physical Feasibility 3. Watershed/Regional Factors 4. Stormwater Management Capability 5. Community & Environmental Factors.

Part of the consideration in selecting stormwater practices was the runoff reduction capacity of the practice. In accordance with the NYSDEC General Permit and Stormwater Design Manual each site must meet the minimum runoff reduction requirement through a combination of Green Infrastructure Practices and SMP's with runoff reduction capacity.

As part of the post construction practice selection, green infrastructure techniques were considered and either applied or not utilized. Appendix I includes a table of the planning and practice selection process in accordance with the NYSDEC Stormwater Design Manual Sections 5.2 & 5.3. Many of the planning techniques are intrinsically apparent within the development of the Concept Site Plan. The following Green Infrastructure practices suggested by NYSDEC in Section 5.3 of the SWMDM have not been applied:

Conservation of Natural Areas – Not a large enough area for conservation

Disconnection of Rooftops – All rooftops treated by other runoff reduction means

Stream Daylighting – No streams available to daylight

Rain Gardens – All impervious treated by other runoff reduction means

Green Roofs – All rooftops treated by other runoff reduction means

Stormwater Planters – All rooftops treated by other runoff reduction means

Rain Barrels – All rooftops treated by other runoff reduction means

Porous Pavement – All impervious treated by other runoff reduction means

### Water Quality

Practices selected for treatment of water quality include:

Dry Swale (O-1)

All water quality practices have been designed to treat the calculated water quality volume as well as safely convey the 10-year storm event. Worksheets showing sizing criteria and calculations for each practice are included within Appendix I.

## Water Quantity

Stormwater controls for water quantity include:

### Micropool Extended Detention Pond (P-1) – Forebay

Part of the consideration in selecting stormwater practices for control of water quantity was soil conditions, infiltration rates, groundwater conditions and elevation changes. The selection process was conducted in accordance with the NYSDEC General Permit and Stormwater Design Manual through use of the Physical Feasibility Matrix, Table 7.2 of the NYSSWDM. The sizing of stormwater practices was achieved utilizing the TR-55 hydraulic analysis method, dimensions, depth and elevations for various design storm events are included within Appendix H. Installation details and short form specifications are included on the project plan sheets in Appendix J.

Water quantity practices have been designed to attenuate flows from both the Overbank Flood (10-year) and the Extreme Flood (100-year) storm events. The proposed stormwater detention areas do not meet the requirements for consideration as a “dam” as prescribed by NYSDEC. It can be assumed that in the unlikely event for a failure or misoperation losses would be limited to the owner’s property. Pond storage elevation and sizing information is included in the post development drainage calculations within Appendix H.

## Conclusion

The subject activity is listed within Appendix B Table 2 of the NYSDEC General Permit 0-20-001 for stormwater discharges from construction activities. This project type requires preparation of a SWPPP that includes Erosion & Sediment Control measures as well as post-construction stormwater management practices. This Stormwater Pollution Prevention Plan has been developed in accordance with the NYSDEC General Permit 0-20-001 as well as the 2015 NYS DEC Stormwater Design Manual. It is not anticipated that the drainage from the subject property will have any adverse effect on adjacent downstream properties.

Appendix A

Notice of Intent

# NOI for coverage under Stormwater General Permit for Construction Activity

version 1.37

(Submission #: HPX-34JF-MGJPF, version 1)

## Details

---

**Submission Alias** DAIM Park Drive Lot 3D

**Originally Started By** Victoria Longo

**Alternate Identifier** DAIM Park Drive Lot 3D

**Submission ID** HPX-34JF-MGJPF

**Submission Reason** New

**Status** Draft

## Form Input

---

### Owner/Operator Information

**Owner/Operator Name (Company/Private Owner/Municipality/Agency/Institution, etc.)**

DAIM Logistics, Inc.

**Owner/Operator Contact Person Last Name (NOT CONSULTANT)**

Oare

**Owner/Operator Contact Person First Name**

Pat

**Owner/Operator Mailing Address**

128 Park Drive

**City**

Fultonville

**State**

NY

**Zip**

12072

**Phone**

518-853-1101

**Email**

poare@daimlogistics.com

**Federal Tax ID**

26-1563609

If the owner/operator is an organization, provide the Federal Tax ID number, or Employer Identification Number (EIN), in the format xx-xxxxxxx. If the owner/operator is an individual and not an organization, enter "Not Applicable" or "N/A" and do not provide the individual's social security number.

**Project Location****Project/Site Name**

DAIM Park Drive Lot 3D

**Street Address (Not P.O. Box)**

128 Park Drive

**Side of Street**

West

**City/Town/Village (THAT ISSUES BUILDING PERMIT)**

Town of Glen

**State**

NY

**Zip**

12072

**DEC Region**

4

The DEC Region must be provided. Please use the NYSDEC Stormwater Interactive Map (<https://gisservices.dec.ny.gov/gis/stormwater/>) to confirm which DEC Region this site is located in. To view the DEC Regions, click on "Other Useful Reference Layers" on the left side of the map, then click on "DEC Administrative Boundary." Zoom out as needed to see the Region boundaries.

For projects that span multiple Regions, please select a primary Region and then provide the additional Regions as a note in Question 39.

**County**

MONTGOMERY

**Name of Nearest Cross Street**

NY State Highway 5S

**Distance to Nearest Cross Street (Feet)**

1056

**Project In Relation to Cross Street**

South

**Tax Map Numbers Section-Block-Parcel**

52.-4-3.111

**Tax Map Numbers**

NONE PROVIDED

If the project does not have tax map numbers (e.g. linear projects), enter "Not Applicable" or "N/A".

**1. Coordinates**

---

Provide the Geographic Coordinates for the project site. The two methods are:

- Navigate to the project location on the map (below) and click to place a marker and obtain the XY coordinates.
- The "Find Me" button will provide the lat/long for the person filling out this form. Then pan the map to the correct location and click the map to place a marker and obtain the XY coordinates.

**Navigate to your location and click on the map to get the X,Y coordinates**

42.9345911,-74.343626

**Project Details****2. What is the nature of this project?**

Redevelopment with increase in impervious area

For the purposes of this eNOI, "New Construction" refers to any project that does not involve the disturbance of existing impervious area (i.e. 0 acres). If existing impervious area will be disturbed on the project site, it is considered redevelopment with either increase in impervious area or no increase in impervious area.

**3. Select the predominant land use for both pre and post development conditions.**

**Pre-Development Existing Landuse**

Commercial

**Post-Development Future Land Use**

Commercial

**3a. If Single Family Subdivision was selected in question 3, enter the number of subdivision lots.**

NONE PROVIDED

---

4. In accordance with the larger common plan of development or sale, enter the total project site acreage, the acreage to be disturbed and the future impervious area (acreage)within the disturbed area.

\*\*\* ROUND TO THE NEAREST TENTH OF AN ACRE. \*\*\*

**Total Site Area (acres)**

4.6

**Total Area to be Disturbed (acres)**

2.8

**Existing Impervious Area to be Disturbed (acres)**

1.5

**Future Impervious Area Within Disturbed Area (acres)**

1.7

**5. Do you plan to disturb more than 5 acres of soil at any one time?**

No

---

6. Indicate the percentage (%) of each Hydrologic Soil Group(HSG) at the site.

**A (%)**

0

**B (%)**

100

**C (%)**

0



**D (%)**

0

**7. Is this a phased project?**

No

**8. Enter the planned start and end dates of the disturbance activities.**

**Start Date**

11/01/2023

**End Date**

11/30/2024

**9. Identify the nearest surface waterbody(ies) to which construction site runoff will discharge.**

Off-Site Dry Dock Creek; Off-Site Tributary of Auries Creek

Drainage ditches and storm sewer systems are not considered surface waterbodies. Please identify the surface waterbody that they discharge to. If the nearest surface waterbody is unnamed, provide a description of the waterbody, such as, "Unnamed tributary to Niagara River."

**9a. Type of waterbody identified in question 9?**

Stream/Creek Off Site

**Other Waterbody Type Off Site Description**

NONE PROVIDED

**9b. If "wetland" was selected in 9A, how was the wetland identified?**

NONE PROVIDED

**10. Has the surface waterbody(ies) in question 9 been identified as a 303(d) segment in Appendix E of GP-0-20-001?**

No

**11. Is this project located in one of the Watersheds identified in Appendix C of GP-0-20-001?**

No

**12. Is the project located in one of the watershed areas associated with AA and AA-S classified waters?**

No

Please use the DEC Stormwater Interactive Map (<https://gisservices.dec.ny.gov/gis/stormwater/>) to confirm if this site is located in one of the watersheds of an AA or AA-S classified water. To view the watershed areas, click on "Permit Related Layers" on the left side of the map, then click on "Class AAAAS Watersheds."

**If No, skip question 13.**

**13. Does this construction activity disturb land with no existing impervious cover and where the Soil Slope Phase is identified as D (provided the map unit name is inclusive of slopes greater than 25%), E or F on the USDA Soil Survey?**

NONE PROVIDED

**If Yes, what is the acreage to be disturbed?**

NONE PROVIDED

**14. Will the project disturb soils within a State regulated wetland or the protected 100 foot adjacent area?**

No

**15. Does the site runoff enter a separate storm sewer system (including roadside drains, swales, ditches, culverts, etc)?**

No

**16. What is the name of the municipality/entity that owns the separate storm sewer system?**

NONE PROVIDED

**17. Does any runoff from the site enter a sewer classified as a Combined Sewer?**

No

**18. Will future use of this site be an agricultural property as defined by the NYS Agriculture and Markets Law?**

No

**19. Is this property owned by a state authority, state agency, federal government or local government?**

No

**20. Is this a remediation project being done under a Department approved work plan? (i.e. CERCLA, RCRA, Voluntary Cleanup Agreement, etc.)**

No

## **Required SWPPP Components**

**21. Has the required Erosion and Sediment Control component of the SWPPP been developed in conformance with the current NYS Standards and Specifications for Erosion and Sediment Control (aka Blue Book)?**

Yes

**22. Does this construction activity require the development of a SWPPP that includes the post-construction stormwater management practice component (i.e. Runoff Reduction, Water Quality and Quantity Control practices/techniques)?**

Yes

**If you answered No in question 22, skip question 23 and the Post-construction Criteria and Post-construction SMP Identification sections.**

**23. Has the post-construction stormwater management practice component of the SWPPP been developed in conformance with the current NYS Stormwater Management Design Manual?**

Yes

**24. The Stormwater Pollution Prevention Plan (SWPPP) was prepared by:**  
Professional Engineer (P.E.)

**SWPPP Preparer**

Empire Engineering, PLLC

**Contact Name (Last, First)**

Longo, Christopher

**Mailing Address**

1900 Duanesburg Road

**City**

Duanesburg

**State**

NY ( New York )

**Zip**

12056

**Phone**

5182801371

**Email**

clongo@empireeng.net

**Download SWPPP Preparer Certification Form**

Please take the following steps to prepare and upload your preparer certification form:

- 1) Click on the link below to download a blank certification form
- 2) The certified SWPPP preparer should sign this form
- 3) Scan the signed form
- 4) Upload the scanned document

[Download SWPPP Preparer Certification Form](#)

**Please upload the SWPPP Preparer Certification**

SWPPP Preparer Certification - Signed.pdf - 09/27/2023 10:43 AM

**Comment**

NONE PROVIDED

**Erosion & Sediment Control Criteria**

**25. Has a construction sequence schedule for the planned management practices been prepared?**

Yes

**26. Select all of the erosion and sediment control practices that will be employed on the project site:****Temporary Structural**

Check Dams

Silt Fence

Stabilized Construction Entrance

Dust Control

Storm Drain Inlet Protection

**Biotechnical**

None

**Vegetative Measures**

Mulching

Grassed Waterway

Protecting Vegetation

Seeding

Topsoiling

**Permanent Structural**

Riprap Slope Protection

Rock Outlet Protection

**Other**

NONE PROVIDED

**Post-Construction Criteria**

**\* IMPORTANT:** Completion of Questions 27-39 is not required if response to Question 22 is No.

**27. Identify all site planning practices that were used to prepare the final site plan/layout for the project.**

Preservation of Undisturbed Area

Preservation of Buffers

Reduction of Clearing and Grading

**27a. Indicate which of the following soil restoration criteria was used to address the requirements in Section 5.1.6("Soil Restoration") of the Design Manual (2010 version).**

All disturbed areas will be restored in accordance with the Soil Restoration requirements in Table 5.3 of the Design Manual (see page 5-22).

**28. Provide the total Water Quality Volume (WQv) required for this project (based on final site plan/layout). (Acre-feet)**

0.147

**29. Post-construction SMP Identification**

Use the Post-construction SMP Identification section to identify the RR techniques (Area Reduction), RR techniques (Volume Reduction) and Standard SMPs with RRv Capacity that were used to reduce the Total WQv Required (#28).

Identify the SMPs to be used by providing the total impervious area that contributes runoff to each technique/practice selected. For the Area Reduction Techniques, provide the total contributing area (includes pervious area) and, if applicable, the total impervious area that contributes runoff to the technique/practice.

Note: Redevelopment projects shall use the Post-Construction SMP Identification section to identify the SMPs used to treat and/or reduce the WQv required. If runoff reduction techniques will not be used to reduce the required WQv, skip to question 33a after identifying the SMPs.

**30. Indicate the Total RRv provided by the RR techniques (Area/Volume Reduction) and Standard SMPs with RRv capacity identified in question 29. (acre-feet)**

0.091

**31. Is the Total RRv provided (#30) greater than or equal to the total WQv required (#28)?**

No

**If Yes, go to question 36. If No, go to question 32.**

**32. Provide the Minimum RRv required based on HSG. [Minimum RRv Required = (P) (0.95) (Ai) / 12, Ai=(s) (Aic)] (acre-feet)**

0.057

**32a. Is the Total RRv provided (#30) greater than or equal to the Minimum RRv Required (#32)?**

Yes

**If Yes, go to question 33.**

Note: Use the space provided in question #39 to summarize the specific site limitations and justification for not reducing 100% of WQv required (#28). A detailed evaluation of the specific site limitations and justification for not reducing 100% of the WQv required (#28) must also be included in the SWPPP.

If No, sizing criteria has not been met; therefore, NOI can not be processed. SWPPP preparer must modify design to meet sizing criteria.

**33. SMPs**

Use the Post-construction SMP Identification section to identify the Standard SMPs and, if applicable, the Alternative SMPs to be used to treat the remaining total WQv (=Total WQv Required in #28 - Total RRv Provided in #30).

Also, provide the total impervious area that contributes runoff to each practice selected.

NOTE: Use the Post-construction SMP Identification section to identify the SMPs used on Redevelopment projects.

**33a. Indicate the Total WQv provided (i.e. WQv treated) by the SMPs identified in question #33 and Standard SMPs with RRv Capacity identified in question #29. (acre-feet)**

0.056

Note: For the standard SMPs with RRv capacity, the WQv provided by each practice = the WQv calculated using the contributing drainage area to the practice - provided by the practice. (See Table 3.5 in Design Manual)

**34. Provide the sum of the Total RRv provided (#30) and the WQv provided (#33a).**

0.147

**35. Is the sum of the RRv provided (#30) and the WQv provided (#33a) greater than or equal to the total WQv required (#28)?**

Yes

If Yes, go to question 36.

If No, sizing criteria has not been met; therefore, NOI can not be processed. SWPPP preparer must modify design to meet sizing criteria.

**36. Provide the total Channel Protection Storage Volume (CPv required and provided or select waiver (#36a), if applicable.**

**CPv Required (acre-feet)**

0.095

**CPv Provided (acre-feet)**

0.107

**36a. The need to provide channel protection has been waived because:**

NONE PROVIDED

**37. Provide the Overbank Flood (Qp) and Extreme Flood (Qf) control criteria or select waiver (#37a), if applicable.**

**Overbank Flood Control Criteria (Qp)**

**Pre-Development (CFS)**

5.19

**Post-Development (CFS)**

1.43

**Total Extreme Flood Control Criteria (Qf)**

**Pre-Development (CFS)**

11.92

**Post-Development (CFS)**

8.14

**37a. The need to meet the Qp and Qf criteria has been waived because:**

NONE PROVIDED

**38. Has a long term Operation and Maintenance Plan for the post-construction stormwater management practice(s) been developed?**

Yes

**If Yes, Identify the entity responsible for the long term Operation and Maintenance**

Property Owner

**39. Use this space to summarize the specific site limitations and justification for not reducing 100% of WQv required (#28). (See question #32a) This space can also be used for other pertinent project information.**

Poorly infiltrative soils

**Post-Construction SMP Identification****Runoff Reduction (RR) Techniques, Standard Stormwater Management Practices (SMPs) and Alternative SMPs**

Identify the Post-construction SMPs to be used by providing the total impervious area that contributes runoff to each technique/practice selected. For the Area Reduction Techniques, provide the total contributing area (includes pervious area) and, if applicable, the total impervious area that contributes runoff to the technique/practice.

**RR Techniques (Area Reduction)**

Round to the nearest tenth

**Total Contributing Acres for Conservation of Natural Area (RR-1)**

NONE PROVIDED

**Total Contributing Impervious Acres for Conservation of Natural Area (RR-1)**

NONE PROVIDED

**Total Contributing Acres for Sheetflow to Riparian Buffers/Filter Strips (RR-2)**

NONE PROVIDED

**Total Contributing Impervious Acres for Sheetflow to Riparian Buffers/Filter Strips (RR-2)**

NONE PROVIDED

**Total Contributing Acres for Tree Planting/Tree Pit (RR-3)**

NONE PROVIDED

**Total Contributing Impervious Acres for Tree Planting/Tree Pit (RR-3)**

NONE PROVIDED

**Total Contributing Acres for Disconnection of Rooftop Runoff (RR-4)**

NONE PROVIDED

**RR Techniques (Volume Reduction)**

---

**Total Contributing Impervious Acres for Disconnection of Rooftop Runoff (RR-4)**

NONE PROVIDED

**Total Contributing Impervious Acres for Vegetated Swale (RR-5)**

NONE PROVIDED

**Total Contributing Impervious Acres for Rain Garden (RR-6)**

NONE PROVIDED

**Total Contributing Impervious Acres for Stormwater Planter (RR-7)**

NONE PROVIDED

**Total Contributing Impervious Acres for Rain Barrel/Cistern (RR-8)**

NONE PROVIDED

**Total Contributing Impervious Acres for Porous Pavement (RR-9)**

NONE PROVIDED

**Total Contributing Impervious Acres for Green Roof (RR-10)**

NONE PROVIDED

**Standard SMPs with RRV Capacity**

---

**Total Contributing Impervious Acres for Infiltration Trench (I-1)**

NONE PROVIDED

**Total Contributing Impervious Acres for Infiltration Basin (I-2)**

NONE PROVIDED

**Total Contributing Impervious Acres for Dry Well (I-3)**

NONE PROVIDED

**Total Contributing Impervious Acres for Underground Infiltration System (I-4)**

NONE PROVIDED

**Total Contributing Impervious Acres for Bioretention (F-5)**

NONE PROVIDED

**Total Contributing Impervious Acres for Dry Swale (O-1)**

1.65



## Standard SMPs

---

**Total Contributing Impervious Acres for Micropool Extended Detention (P-1)**

NONE PROVIDED

**Total Contributing Impervious Acres for Wet Pond (P-2)**

NONE PROVIDED

**Total Contributing Impervious Acres for Wet Extended Detention (P-3)**

NONE PROVIDED

**Total Contributing Impervious Acres for Multiple Pond System (P-4)**

NONE PROVIDED

**Total Contributing Impervious Acres for Pocket Pond (P-5)**

NONE PROVIDED

**Total Contributing Impervious Acres for Surface Sand Filter (F-1)**

NONE PROVIDED

**Total Contributing Impervious Acres for Underground Sand Filter (F-2)**

NONE PROVIDED

**Total Contributing Impervious Acres for Perimeter Sand Filter (F-3)**

NONE PROVIDED

**Total Contributing Impervious Acres for Organic Filter (F-4)**

NONE PROVIDED

**Total Contributing Impervious Acres for Shallow Wetland (W-1)**

NONE PROVIDED

**Total Contributing Impervious Acres for Extended Detention Wetland (W-2)**

NONE PROVIDED

**Total Contributing Impervious Acres for Pond/Wetland System (W-3)**

NONE PROVIDED

**Total Contributing Impervious Acres for Pocket Wetland (W-4)**

NONE PROVIDED

**Total Contributing Impervious Acres for Wet Swale (O-2)**

NONE PROVIDED

**Alternative SMPs (DO NOT INCLUDE PRACTICES BEING USED FOR  
PRETREATMENT ONLY)**

---

**Total Contributing Impervious Area for Hydrodynamic**

NONE PROVIDED

**Total Contributing Impervious Area for Wet Vault**

NONE PROVIDED

**Total Contributing Impervious Area for Media Filter**

NONE PROVIDED

**"Other" Alternative SMP?**

NONE PROVIDED

**Total Contributing Impervious Area for "Other"**

NONE PROVIDED

**Provide the name and manufacturer of the alternative SMPs (i.e. proprietary practice(s)) being used for WQv treatment.**

**Note: Redevelopment projects which do not use RR techniques, shall use questions 28, 29, 33 and 33a to provide SMPs used, total WQv required and total WQv provided for the project.**

**Manufacturer of Alternative SMP**

NONE PROVIDED

**Name of Alternative SMP**

NONE PROVIDED

**Other Permits**

**40. Identify other DEC permits, existing and new, that are required for this project/facility.**

None

**If SPDES Multi-Sector GP, then give permit ID**

NONE PROVIDED

**If Other, then identify**

NONE PROVIDED

**41. Does this project require a US Army Corps of Engineers Wetland Permit?**

No

**If "Yes," then indicate Size of Impact, in acres, to the nearest tenth**

NONE PROVIDED

**42. If this NOI is being submitted for the purpose of continuing or transferring coverage under a general permit for stormwater runoff from construction activities, please indicate the former SPDES number assigned.**

NONE PROVIDED

## **MS4 SWPPP Acceptance**

**43. Is this project subject to the requirements of a regulated, traditional land use control MS4?**

No

**If No, skip question 44**

**44. Has the "MS4 SWPPP Acceptance" form been signed by the principal executive officer or ranking elected official and submitted along with this NOI?**

NONE PROVIDED

### **MS4 SWPPP Acceptance Form Download**

Download form from the link below. Complete, sign, and upload.

[MS4 SWPPP Acceptance Form](#)

### **MS4 Acceptance Form Upload**

NONE PROVIDED

**Comment**

NONE PROVIDED

## **Owner/Operator Certification**

### **Owner/Operator Certification Form Download**

Download the certification form by clicking the link below. Complete, sign, scan, and upload the form.

[Owner/Operator Certification Form \(PDF, 45KB\)](#)

### **Upload Owner/Operator Certification Form**

NONE PROVIDED

**Comment**


NONE PROVIDED

## **Attachments**

Date	Attachment Name	Context	User
9/27/2023 10:43 AM	SWPPP Preparer Certification - Signed.pdf	Attachment	CHRISTOPHER LONGO

## Appendix B

### OPRHP Correspondence





**New York State  
Parks, Recreation and  
Historic Preservation**

**KATHY HOCHUL**  
Governor

**ERIK KULLESEID**  
Commissioner

September 29, 2023

Christopher Longo  
Project Engineer  
Empire Engineering, PLLC  
1900 Duanesburg Road  
Duanesburg, NY 12056

Re: SEQRA  
DAIM Park Drive Lot 3D  
Town of Glen, Montgomery County, NY  
23PR08152

Dear Christopher Longo:

Thank you for requesting the comments of the Office of Parks, Recreation and Historic Preservation (OPRHP). We have reviewed the project in accordance with the New York State Historic Preservation Act of 1980 (Section 14.09 of the New York Parks, Recreation and Historic Preservation Law). These comments are those of the OPRHP and relate only to Historic/Cultural resources. They do not include potential environmental impacts to New York State Parkland that may be involved in or near your project. Such impacts must be considered as part of the environmental review of the project pursuant to the State Environmental Quality Review Act (New York Environmental Conservation Law Article 8) and its implementing regulations (6 NYCRR Part 617).

Based upon this review, it is the opinion of OPRHP that no properties, including archaeological and/or historic resources, listed in or eligible for the New York State and National Registers of Historic Places will be impacted by this project.

If further correspondence is required regarding this project, please be sure to refer to the OPRHP Project Review (PR) number noted above.

Sincerely,

R. Daniel Mackay

Deputy Commissioner for Historic Preservation  
Division for Historic Preservation

rev: E. Czernecki

## Appendix C

### T&E Correspondence



Environmental Resource Mapper



The coordinates of the point you clicked on are:

UTM 18	Easting:	553529.9328955059	Northing:	4753785.384532315
Longitude/Latitude	Longitude:	-74.34395410626085	Latitude:	42.93482792642571

The approximate address of the point you clicked on is:  
128 Park Dr, Fultonville, New York, 12072

County: Montgomery  
Town: Glen  
USGS Quad: TRIBES HILL

If your project or action is within or near an area with a rare animal, a permit may be required if the species is listed as endangered or threatened and the department determines the action may be harmful to the species or its habitat.

If your project or action is within or near an area with rare plants and/or significant natural communities, the environmental impacts may need to be addressed.

The presence of a unique geological feature or landform near a project, unto itself, does not trigger a requirement for a NYS DEC permit. Readers are advised, however, that there is the chance that a unique feature may also show in another data layer (ie. a wetland) and thus be subject to permit jurisdiction.

Please refer to the "Need a Permit?" tab for permit information or other authorizations regarding these natural resources.

**Disclaimer:** If you are considering a project or action in, or near, a wetland or a stream, a NYS DEC permit may be required. The Environmental Resources Mapper does not show all natural resources which are regulated by NYS DEC, and for which permits from NYS DEC are required. For example, Regulated Tidal Wetlands, and Wild, Scenic, and Recreational Rivers, are currently not included on the maps.



## Appendix D

### Maps & Figures



United States  
Department of  
Agriculture

NRCS

Natural  
Resources  
Conservation  
Service

A product of the National  
Cooperative Soil Survey,  
a joint effort of the United  
States Department of  
Agriculture and other  
Federal agencies, State  
agencies including the  
Agricultural Experiment  
Stations, and local  
participants

# Custom Soil Resource Report for Montgomery County, New York



September 27, 2023

# Preface

---

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist ([http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2\\_053951](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951)).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

# Contents

---

<b>Preface</b> .....	2
<b>Soil Map</b> .....	5
Soil Map.....	6
Legend.....	7
Map Unit Legend.....	8
Map Unit Descriptions.....	8
Montgomery County, New York.....	10
Fr—Fredon silt loam.....	10
GP—Gravel pits.....	12

# Soil Map

---

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

# Custom Soil Resource Report Soil Map





# Custom Soil Resource Report

## MAP LEGEND

### Area of Interest (AOI)

 Area of Interest (AOI)

### Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

### Special Point Features

 Blowout

 Borrow Pit

 Clay Spot

 Closed Depression

 Gravel Pit

 Gravelly Spot

 Landfill

 Lava Flow

 Marsh or swamp

 Mine or Quarry

 Miscellaneous Water

 Perennial Water

 Rock Outcrop


 Saline Spot

 Sandy Spot

 Severely Eroded Spot

 Sinkhole

 Slide or Slip

 Sodic Spot

 Spoil Area

 Stony Spot

 Very Stony Spot

 Wet Spot

 Other

 Special Line Features

### Water Features

 Streams and Canals

### Transportation

 Rails

 Interstate Highways

 US Routes

 Major Roads

 Local Roads

### Background

 Aerial Photography

## MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service  
Web Soil Survey URL:  
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Montgomery County, New York  
Survey Area Data: Version 20, Sep 10, 2022

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Sep 4, 2020—Nov 7, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.



## Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
Fr	Fredon silt loam	1.6	33.0%
GP	Gravel pits	3.3	67.0%
<b>Totals for Area of Interest</b>		<b>4.9</b>	<b>100.0%</b>

## Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however,

## Custom Soil Resource Report

onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

## Montgomery County, New York

### Fr—Fredon silt loam

#### Map Unit Setting

*National map unit symbol:* 9tpp  
*Elevation:* 250 to 1,200 feet  
*Mean annual precipitation:* 38 to 44 inches  
*Mean annual air temperature:* 45 to 48 degrees F  
*Frost-free period:* 110 to 170 days  
*Farmland classification:* Prime farmland if drained

#### Map Unit Composition

*Fredon, poorly drained, and similar soils:* 50 percent  
*Fredon, somewhat poorly drained, and similar soils:* 25 percent  
*Minor components:* 25 percent  
*Estimates are based on observations, descriptions, and transects of the mapunit.*

### Description of Fredon, Poorly Drained

#### Setting

*Landform:* Depressions  
*Landform position (two-dimensional):* Footslope  
*Landform position (three-dimensional):* Tread  
*Down-slope shape:* Concave  
*Across-slope shape:* Linear  
*Parent material:* Loamy over sandy and gravelly glaciofluvial deposits

#### Typical profile

*Ap - 0 to 9 inches:* silt loam  
*B21 - 9 to 19 inches:* gravelly silt loam  
*B22 - 19 to 31 inches:* very gravelly loam  
*2C - 31 to 45 inches:* stratified very gravelly sand  
*3C - 45 to 60 inches:* stratified silt loam to very fine sand

#### Properties and qualities

*Slope:* 0 to 3 percent  
*Depth to restrictive feature:* More than 80 inches  
*Drainage class:* Poorly drained  
*Capacity of the most limiting layer to transmit water (Ksat):* Moderately high to high  
(0.20 to 1.98 in/hr)  
*Depth to water table:* About 0 to 6 inches  
*Frequency of flooding:* None  
*Frequency of ponding:* None  
*Calcium carbonate, maximum content:* 15 percent  
*Available water supply, 0 to 60 inches:* Moderate (about 7.3 inches)

#### Interpretive groups

*Land capability classification (irrigated):* None specified  
*Land capability classification (nonirrigated):* 3w  
*Hydrologic Soil Group:* B/D  
*Ecological site:* F101XY007NY - Wet Outwash  
*Hydric soil rating:* Yes

## Description of Fredon, Somewhat Poorly Drained

### Setting

*Landform:* Depressions

*Landform position (two-dimensional):* Foothills

*Landform position (three-dimensional):* Tread

*Down-slope shape:* Concave

*Across-slope shape:* Linear

*Parent material:* Loamy over sandy and gravelly glaciofluvial deposits

### Typical profile

*Ap - 0 to 9 inches:* silt loam

*B21 - 9 to 19 inches:* gravelly silt loam

*B22 - 19 to 31 inches:* very gravelly loam

*2C - 31 to 45 inches:* stratified very gravelly sand

*3C - 45 to 60 inches:* stratified silt loam to very fine sand

### Properties and qualities

*Slope:* 0 to 3 percent

*Depth to restrictive feature:* More than 80 inches

*Drainage class:* Somewhat poorly drained

*Capacity of the most limiting layer to transmit water (Ksat):* Moderately high to high  
(0.20 to 1.98 in/hr)

*Depth to water table:* About 6 to 18 inches

*Frequency of flooding:* None

*Frequency of ponding:* None

*Calcium carbonate, maximum content:* 15 percent

*Available water supply, 0 to 60 inches:* Moderate (about 7.3 inches)

### Interpretive groups

*Land capability classification (irrigated):* None specified

*Land capability classification (nonirrigated):* 3w

*Hydrologic Soil Group:* B/D

*Ecological site:* F101XY006NY - Moist Outwash

*Hydric soil rating:* No

## Minor Components

### Raynham

*Percent of map unit:* 5 percent

*Hydric soil rating:* No

### Ilion

*Percent of map unit:* 5 percent

*Landform:* Depressions

*Hydric soil rating:* Yes

### Phelps

*Percent of map unit:* 5 percent

*Hydric soil rating:* No

### Howard

*Percent of map unit:* 5 percent

*Hydric soil rating:* No

### Madalin

*Percent of map unit:* 5 percent

*Landform:* Depressions

*Hydric soil rating: Yes*

## **GP—Gravel pits**

### **Map Unit Setting**

*National map unit symbol: 9tpq  
Mean annual precipitation: 38 to 44 inches  
Mean annual air temperature: 45 to 48 degrees F  
Frost-free period: 110 to 170 days  
Farmland classification: Not prime farmland*

### **Map Unit Composition**

*Gravel pits: 70 percent  
Minor components: 30 percent  
Estimates are based on observations, descriptions, and transects of the mapunit.*

### **Description of Gravel Pits**

#### **Typical profile**

*H1 - 0 to 6 inches: very gravelly sand  
H2 - 6 to 60 inches: very gravelly coarse sand*

#### **Interpretive groups**

*Land capability classification (irrigated): None specified  
Land capability classification (nonirrigated): 8s  
Hydric soil rating: Unranked*

### **Minor Components**

#### **Fredon**

*Percent of map unit: 5 percent  
Landform: Depressions  
Hydric soil rating: Yes*

#### **Ilion**

*Percent of map unit: 5 percent  
Landform: Depressions  
Hydric soil rating: Yes*

#### **Herkimer**

*Percent of map unit: 5 percent  
Hydric soil rating: No*

#### **Howard**

*Percent of map unit: 5 percent  
Hydric soil rating: No*

#### **Farmington**

*Percent of map unit: 5 percent  
Hydric soil rating: No*

## Custom Soil Resource Report

### **Palmyra**

*Percent of map unit:* 5 percent

*Hydric soil rating:* No

Appendix E  
O&M Manual

# Operation & Maintenance Manual

For  
DAIM Logistics, Inc.  
Stormwater Management Facilities  
At  
128 Park Drive  
Fultonville, NY

## Site Information

The subject project is the proposed 54,000 SF expansion of an existing warehouse site. The subject site is located at 128 Park Drive in Fultonville, NY. The parcel area is approximately 8.10 AC. The property is identified by Tax Map # 52.-4-3.12.

## Engineer of Record

Empire Engineering, PLLC  
1900 Duanesburg Road  
Duanesburg, NY 12056  
Contact: Christopher Longo, PE  
Phone: (518) 858-4117

## Construction Phase

### Submittals

The shop drawing design plans for all structures shall be reviewed by a NYS Licensed Professional Engineer. Specification sheets for all pipe materials and particle analyses for all aggregate to be used on site shall also be approved by the Engineer. Shop drawing and/or submittal approvals will be distributed to the owner and the contractor. No unit shall be constructed without having the Engineer's approval.

### Inspections

The Engineer shall inspect and document the installation of any structure, pipe, controlled fill and stormwater management feature. Inspections shall include documentation of the subsurface conditions and/or the soil profile including material thickness. It is the owner's responsibility to contact the engineer to witness construction. Failure to do so may result in the facility not being certified. Additional lab or field geotechnical tests may be specified by the inspecting Engineer to verify conformance with the plans. Such test would be at the owner's expense.

### Certifications

The inspecting Engineer shall issue a daily work report to the owner for each occurrence that construction is witnessed. The Engineer shall issue a letter of approval certifying stormwater components which they have witnessed and found to be in conformance with the plans, shop drawings, and any supplemental documents. If any modifications are made to the plans or stormwater facilities the Engineer shall document such in their certification.



## Operation & Maintenance

### Recordkeeping

The owner/operation shall keep and maintain all Plans, SWPPP documents, inspection reports, and certifications generated during design and construction. These plans and reports shall be readily accessible for use by any interested party.

### Inspections

The owner should check the condition of all devices after each rainfall event for the first 30 days. Issues should be identified such as blockages or obstructions within the inlet or outlet. The owner should also inspect for accumulating sediment and conditions of slopes and embankments.

A comprehensive inspection should be completed at the end of construction in accordance with the enclosed inspection form. During operation, the owner should continue to routinely inspect all stormwater devices weekly during the rainy season. Each device should be thoroughly inspected annually. A frequency of cleaning should be determined based on the inspection findings.

### Maintenance

The owner shall maintain all stormwater devices in perpetuity. Routine maintenance should be scheduled at least annually and should address any issues identified during inspection. The enclosed maintenance checklists should be utilized for each device.

### Emergency Action Plan

In the event of an emergency condition resulting from extreme weather or a structural failure, the owner shall be contacted immediately. The local Town officials and emergency response authorities should be contacted if there is immediate danger. If the failure does not pose an immediate threat to the health or welfare of the subject adjacent properties, the engineer of record should be contacted to determine potential remedies.

## Construction Inspection Checklists

## Stormwater/Wetland Pond Construction Inspection Checklist

Project:

Location:

Site Status:

Date:

Time:

Inspector:

CONSTRUCTION SEQUENCE	SATISFACTORY/ UNSATISFACTORY	COMMENTS
<b>Pre-Construction/Materials and Equipment</b>		
Pre-construction meeting		
Pipe and appurtenances on-site prior to construction and dimensions checked		
1. Material (including protective coating, if specified)		
2. Diameter		
3. Dimensions of metal riser or pre-cast concrete outlet structure		
4. Required dimensions between water control structures (orifices, weirs, etc.) are in accordance with approved plans		
5. Barrel stub for prefabricated pipe structures at proper angle for design barrel slope		
6. Number and dimensions of prefabricated anti-seep collars		
7. Watertight connectors and gaskets		
8. Outlet drain valve		
Project benchmark near pond site		
Equipment for temporary de-watering		

CONSTRUCTION SEQUENCE	SATISFACTORY/ UNSATISFACTORY	COMMENTS
<b>2. Subgrade Preparation</b>		
Area beneath embankment stripped of all vegetation, topsoil, and organic matter		
<b>3. Pipe Spillway Installation</b>		
Method of installation detailed on plans		
<b>A. Bed preparation</b>		
Installation trench excavated with specified side slopes		
Stable, uniform, dry subgrade of relatively impervious material (If subgrade is wet, contractor shall have defined steps before proceeding with installation)		
Invert at proper elevation and grade		
<b>B. Pipe placement</b>		
Metal / plastic pipe		
1. Watertight connectors and gaskets properly installed		
2. Anti-seep collars properly spaced and having watertight connections to pipe		
3. Backfill placed and tamped by hand under “haunches” of pipe		
4. Remaining backfill placed in max. 8 inch lifts using small power tamping equipment until 2 feet cover over pipe is reached		

CONSTRUCTION SEQUENCE	SATISFACTORY/ UNSATISFACTORY	COMMENTS
<b>3. Pipe Spillway Installation</b>		
Concrete pipe		
1. Pipe set on blocks or concrete slab for pouring of low cradle		
2. Pipe installed with rubber gasket joints with no spalling in gasket interface area		
3. Excavation for lower half of anti-seep collar(s) with reinforcing steel set		
4. Entire area where anti-seep collar(s) will come in contact with pipe coated with mastic or other approved waterproof sealant		
5. Low cradle and bottom half of anti-seep collar installed as monolithic pour and of an approved mix		
6. Upper half of anti-seep collar(s) formed with reinforcing steel set		
7. Concrete for collar of an approved mix and vibrated into place (protected from freezing while curing, if necessary)		
8. Forms stripped and collar inspected for honeycomb prior to backfilling. Parge if necessary.		
<b>C. Backfilling</b>		
Fill placed in maximum 8 inch lifts		
Backfill taken minimum 2 feet above top of anti-seep collar elevation before traversing with heavy equipment		

CONSTRUCTION SEQUENCE	SATISFACTORY/ UNSATISFACTORY	COMMENTS
<b>4. Riser / Outlet Structure Installation</b>		
Riser located within embankment		
<b>A. Metal riser</b>		
Riser base excavated or formed on stable subgrade to design dimensions		
Set on blocks to design elevations and plumbed		
Reinforcing bars placed at right angles and projecting into sides of riser		
Concrete poured so as to fill inside of riser to invert of barrel		
<b>B. Pre-cast concrete structure</b>		
Dry and stable subgrade		
Riser base set to design elevation		
If more than one section, no spalling in gasket interface area; gasket or approved caulking material placed securely		
Watertight and structurally sound collar or gasket joint where structure connects to pipe spillway		
<b>C. Poured concrete structure</b>		
Footing excavated or formed on stable subgrade, to design dimensions with reinforcing steel set		
Structure formed to design dimensions, with reinforcing steel set as per plan		
Concrete of an approved mix and vibrated into place (protected from freezing while curing, if necessary)		
Forms stripped & inspected for "honeycomb" prior to backfilling; parge if necessary		

CONSTRUCTION SEQUENCE	SATISFACTORY/ UNSATISFACTORY	COMMENTS
<b>5. Embankment Construction</b>		
Fill material		
Compaction		
Embankment		
1. Fill placed in specified lifts and compacted with appropriate equipment		
2. Constructed to design cross-section, side slopes and top width		
3. Constructed to design elevation plus allowance for settlement		
<b>6. Impounded Area Construction</b>		
Excavated / graded to design contours and side slopes		
Inlet pipes have adequate outfall protection		
Forebay(s)		
Pond benches		
<b>7. Earth Emergency Spillway Construction</b>		
Spillway located in cut or structurally stabilized with riprap, gabions, concrete, etc.		
Excavated to proper cross-section, side slopes and bottom width		
Entrance channel, crest, and exit channel constructed to design grades and elevations		

CONSTRUCTION SEQUENCE	SATISFACTORY / UNSATISFACTORY	COMMENTS
<b>8. Outlet Protection</b>		
A. End section		
Securely in place and properly backfilled		
B. Endwall		
Footing excavated or formed on stable subgrade, to design dimensions and reinforcing steel set, if specified		
Endwall formed to design dimensions with reinforcing steel set as per plan		
Concrete of an approved mix and vibrated into place (protected from freezing, if necessary)		
Forms stripped and structure inspected for "honeycomb" prior to backfilling; parge if necessary		
C. Riprap apron / channel		
Apron / channel excavated to design cross-section with proper transition to existing ground		
Filter fabric in place		
Stone sized as per plan and uniformly place at the thickness specified		
<b>9. Vegetative Stabilization</b>		
Approved seed mixture or sod		
Proper surface preparation and required soil amendments		
Excelsior mat or other stabilization, as per plan		



CONSTRUCTION SEQUENCE	SATISFACTORY/ UNSATISFACTORY	COMMENTS
<b>10. Miscellaneous</b>		
Drain for ponds having a permanent pool		
Trash rack / anti-vortex device secured to outlet structure		
Trash protection for low flow pipes, orifices, etc.		
Fencing (when required)		
Access road		
Set aside for clean-out maintenance		
<b>11. Stormwater Wetlands</b>		
Adequate water balance		
Variety of depth zones present		
Approved pondscaping plan in place Reinforcement budget for additional plantings		
Plants and materials ordered 6 months prior to construction		
Construction planned to allow for adequate planting and establishment of plant community (April-June planting window)		
Wetland buffer area preserved to maximum extent possible		

**Comments:**


---

---

---

---

---

---

---

---

---

---

---

**Actions to be Taken:**

---

---

---

---

---

---

---

---

## Open Channel System Construction Inspection Checklist

Project:  
 Location:  
 Site Status:

Date:

Time:

Inspector:

CONSTRUCTION SEQUENCE	SATISFACTORY / UNSATISFACTORY	COMMENTS
<b>1. Pre-Construction</b>		
Pre-construction meeting		
Runoff diverted		
Facility location staked out		
<b>2. Excavation</b>		
Size and location		
Side slope stable		
Soil permeability		
Groundwater / bedrock		
Lateral slopes completely level		
Longitudinal slopes within design range		
Excavation does not compact subsoils		
<b>3. Check dams</b>		
Dimensions		
Spacing		
Materials		

CONSTRUCTION SEQUENCE	SATISFACTORY / UNSATISFACTORY	COMMENTS
<b>4. Structural Components</b>		
Underdrain installed correctly		
Inflow installed correctly		
Pretreatment devices installed		
<b>5. Vegetation</b>		
Complies with planting specifications		
Topsoil adequate in composition and placement		
Adequate erosion control measures in place		
<b>6. Final inspection</b>		
Dimensions		
Check dams		
Proper outlet		
Effective stand of vegetation and stabilization		
Contributing watershed stabilized before flow is routed to the facility		

Comments:

[illegible]

### Actions to be Taken:

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slight shadow on its right side, suggesting it's resting on a surface.

## Maintenance Inspection Checklists

### Stormwater Pond/Wetland Operation, Maintenance and Management Inspection Checklist

Project \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Site Status: \_\_\_\_\_  
  
 Date: \_\_\_\_\_  
 Time: \_\_\_\_\_  
  
 Inspector: \_\_\_\_\_

Maintenance Item	Satisfactory/ Unsatisfactory	Comments
<b>1. Embankment and emergency spillway (Annual, After Major Storms)</b>		
1. Vegetation and ground cover adequate		
2. Embankment erosion		
3. Animal burrows		
4. Unauthorized planting		
5. Cracking, bulging, or sliding of dam		
a. Upstream face		
b. Downstream face		
c. At or beyond toe		
downstream		
upstream		
d. Emergency spillway		
6. Pond, toe & chimney drains clear and functioning		
7. Seeps/leaks on downstream face		
8. Slope protection or riprap failure		
9. Vertical/horizontal alignment of top of dam "As-Built"		

Maintenance Item	Satisfactory/ Unsatisfactory	Comments
10. Emergency spillway clear of obstructions and debris		
11. Other (specify)		
<b>2. Riser and principal spillway (Annual)</b>		
Type: Reinforced concrete _____ Corrugated pipe _____ Masonry _____		
1. Low flow orifice obstructed		
2. Low flow trash rack. a. Debris removal necessary		
b. Corrosion control		
3. Weir trash rack maintenance a. Debris removal necessary		
b. corrosion control		
4. Excessive sediment accumulation insider riser		
5. Concrete/masonry condition riser and barrels a. cracks or displacement		
b. Minor spalling (<1" )		
c. Major spalling (rebars exposed)		
d. Joint failures		
e. Water tightness		
6. Metal pipe condition		
7. Control valve a. Operational/exercised		
b. Chained and locked		
8. Pond drain valve a. Operational/exercised		
b. Chained and locked		
9. Outfall channels functioning		
10. Other (specify)		



Maintenance Item	Satisfactory/ Unsatisfactory	Comments
<b>3. Permanent Pool (Wet Ponds) (monthly)</b>		
1. Undesirable vegetative growth		
2. Floating or floatable debris removal required		
3. Visible pollution		
4. Shoreline problem		
5. Other (specify)		
<b>4. Sediment Forebays</b>		
1. Sedimentation noted		
2. Sediment cleanout when depth < 50% design depth		
<b>5. Dry Pond Areas</b>		
1. Vegetation adequate		
2. Undesirable vegetative growth		
3. Undesirable woody vegetation		
4. Low flow channels clear of obstructions		
5. Standing water or wet spots		
6. Sediment and / or trash accumulation		
7. Other (specify)		
<b>6. Condition of Outfalls (Annual , After Major Storms)</b>		
1. Riprap failures		
2. Slope erosion		
3. Storm drain pipes		
4. Endwalls / Headwalls		
5. Other (specify)		
<b>7. Other (Monthly)</b>		
1. Encroachment on pond, wetland or easement area		

Maintenance Item	Satisfactory/ Unsatisfactory	Comments
2. Complaints from residents		
3. Aesthetics		
a. Grass growing required		
b. Graffiti removal needed		
c. Other (specify)		
4. Conditions of maintenance access routes.		
5. Signs of hydrocarbon build-up		
6. Any public hazards (specify)		
<b>8. Wetland Vegetation (Annual)</b>		
1. Vegetation healthy and growing Wetland maintaining 50% surface area coverage of wetland plants after the second growing season. (If unsatisfactory, reinforcement plantings needed)		
2. Dominant wetland plants: Survival of desired wetland plant species Distribution according to landscaping plan?		
3. Evidence of invasive species		
4. Maintenance of adequate water depths for desired wetland plant species		
5. Harvesting of emergent plantings needed		
6. Have sediment accumulations reduced pool volume significantly or are plants "choked" with sediment		
7. Eutrophication level of the wetland.		
8. Other (specify)		

**Comments:**

---



---



---



---



---

**Actions to be Taken:**

---

---

---

---

## Open Channel Operation, Maintenance, and Management Inspection Checklist

Project:  
Location:  
Site Status:

Date:

Time:

Inspector:

MAINTENANCE ITEM	SATISFACTORY/ UNSATISFACTORY	COMMENTS
<b>1. Debris Cleanout (Monthly)</b>		
Contributing areas clean of debris		
<b>2. Check Dams or Energy Dissipators (Annual, After Major Storms)</b>		
No evidence of flow going around structures		
No evidence of erosion at downstream toe		
Soil permeability		
Groundwater / bedrock		
<b>3. Vegetation (Monthly)</b>		
Mowing done when needed		
Minimum mowing depth not exceeded		
No evidence of erosion		
Fertilized per specification		
<b>4. Dewatering (Monthly)</b>		
Dewaters between storms		

MAINTENANCE ITEM	SATISFACTORY/ UNSATISFACTORY	COMMENTS
5. Sediment deposition (Annual)		
Clean of sediment		
6. Outlet/Overflow Spillway (Annual)		
Good condition, no need for repairs		
No evidence of erosion		

Comments:

Actions to be Taken:

## Appendix F

### Certifications



# SWPPP Preparer Certification Form

---

*SPDES General Permit for Stormwater  
Discharges From Construction Activity  
(GP-0-20-001)*

## Project Site Information

### Project/Site Name

DAIM Park Drive Lot 3D

## Owner/Operator Information

### Owner/Operator (Company Name/Private Owner/Municipality Name)

DAIM Logistics, Inc.

## Certification Statement – SWPPP Preparer

I hereby certify that the Stormwater Pollution Prevention Plan (SWPPP) for this project has been prepared in accordance with the terms and conditions of the GP-0-20-001. Furthermore, I understand that certifying false, incorrect or inaccurate information is a violation of this permit and the laws of the State of New York and could subject me to criminal, civil and/or administrative proceedings.

Christopher

First name

D

MI

Longo

Last Name

A handwritten signature in black ink, appearing to read "Chris Longo".

Signature

9/27/23

Date



# **Owner/Operator Certification Form**

## **SPDES General Permit For Stormwater Discharges From Construction Activity (GP-0-20-001)**

Project/Site Name: DAIM Park Drive Lot 3D

eNOI Submission Number: HPX-34JF-MGJPF

eNOI Submitted by: ☐ Owner/Operator ☒ SWPPP Preparer ☐ Other

### **Certification Statement - Owner/Operator**

I have read or been advised of the permit conditions and believe that I understand them. I also understand that, under the terms of the permit, there may be reporting requirements. I hereby certify that this document and the corresponding documents were prepared under my direction or supervision. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. I further understand that coverage under the general permit will be identified in the acknowledgment that I will receive as a result of submitting this NOI and can be as long as sixty (60) business days as provided for in the general permit. I also understand that, by submitting this NOI, I am acknowledging that the SWPPP has been developed and will be implemented as the first element of construction, and agreeing to comply with all the terms and conditions of the general permit for which this NOI is being submitted.

Owner/Operator First Name

M.I. Last Name


\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date



## Appendix G

### Existing Drainage Map & Analysis



PROJECT INFORMATION:

OWNER/APPLICANT:  
DAIM LOGISTICS, INC.  
128 PARK DRIVE  
FULTONVILLE, NY 12072

PROPERTY TAX MAP NUMBER  
52.-4-3.12

PARCEL AREA:  
199,505± SF / 4.58± AC

MUNICIPALITY:  
TOWN OF GLEN, MONTGOMERY COUNTY

TOTAL PROJECT AREA:  
2.47± ACRES

- GENERAL NOTES:
- ALL SURVEY INFORMATION IS REFERENCED TO:  
1.1. MAP ENTITLED "SITE PLAN DAIM LOGISTICS, LOT 3 GLEN CANAL VIEW BUSINESS PARK" PREPARED BY ABD ENGINEERS DATED FEBRUARY 2009 AND LAST REVISED MARCH 27, 2009.  
1.2. SURVEY UPDATE PREPARED BY GERALD R GRAY PLS, FROM A FEBRUARY 2021 FIELD SURVEY. FIELD SURVEY WAS CONDUCTED IN THE AREA OF THE PROPOSED IMPROVEMENTS. OTHER PLANIMETRIC AND UTILITY FEATURES SHOWN ARE BASED UPON MAP REFERENCE 1.
  - THIS MAP IS NOT A SURVEY. INFORMATION SHOWN IS FROM MAP REFERENCES ABOVE AND FOR GENERAL INFORMATION AND DESIGN PURPOSES ONLY. A LICENSED LAND SURVEYOR SHALL STAKE OUT ANY BUILDINGS OR SEPTIC AREAS TO CONFIRM THE SETBACKS INDICATED.
  - NORTH IS REFERENCED TO NAD 83 NEW YORK STATE PLANES EAST ZONE. ELEVATIONS ARE BASED ON MAP REFERENCE 1.

PRIOR TO ANY EARTH DISTURBANCE THE CONTRACTOR SHALL CALL IN A TICKET TO DIG SAFE NY AND OBTAIN A CLEAR TO DIG

IT IS A VIOLATION OF SECTION 7209 OF THE NYS EDUCATION LAW FOR ANY PERSON TO ALTER ANY ITEM ON THIS PLAN IN ANY WAY UNLESS HE/SHE IS ACTING UNDER THE DIRECT SUPERVISION OF A PROFESSIONAL ENGINEER.

No.	Revision	Description	Date

CHRISTOPHER D. LONGO, PE  
N.Y.S. LIC. # 095840



**EE**

EMPIRE ENGINEERING, PLLC  
1900 DUANESBURG ROAD  
DUANESBURG, NY 12056  
PH: (518) 858-4117  
EMAIL: CLONGO@EMPIREENG.NET

PROJECT  
**LOT 3D - PARK DRIVE  
GLEN CANAL VIEW PARK**

TOWN OF GLEN  
FULTONVILLE, NY 12072


Title <b>EXISTING DRAINAGE MAP</b>	
Date 9/27/2023	Sheet <b>DR-1</b> Sheet 1 of 2
Scale 1"=80'	



Subcat



Reach



Pond



Link

**Routing Diagram for 21004 HydroCAD EX**

Prepared by {enter your company name here}, Printed 9/27/2023  
HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

**21004 HydroCAD EX**

Type II 24-hr 1-Yr Rainfall=2.20"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 2

**Summary for Subcatchment 101: SC 101**

Runoff = 1.83 cfs @ 12.02 hrs, Volume= 0.095 af, Depth&gt; 0.46"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Type II 24-hr 1-Yr Rainfall=2.20"

Area (sf)	CN	Description
39,025	61	>75% Grass cover, Good, HSG B
* 68,400	85	Gravel, HSG B
107,425	76	Weighted Average
107,425		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
8.1	100	0.0440	0.21		<b>Sheet Flow, Sheet Flow</b>
					Grass: Short n= 0.150 P2= 2.50"
1.3	270	0.0450	3.42		<b>Shallow Concentrated Flow, Shallow Conc Flow</b>
					Unpaved Kv= 16.1 fps
9.4	370	Total			

**Summary for Link EX-A: AP-A**

Inflow Area = 2.466 ac, 0.00% Impervious, Inflow Depth &gt; 0.46" for 1-Yr event

Inflow = 1.83 cfs @ 12.02 hrs, Volume= 0.095 af

Primary = 1.83 cfs @ 12.02 hrs, Volume= 0.095 af, Atten= 0%, Lag= 0.0 min

Primary outflow = Inflow, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs

**21004 HydroCAD EX**

Type II 24-hr 10-Yr Rainfall=3.50"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 3

**Summary for Subcatchment 101: SC 101**

Runoff = 5.19 cfs @ 12.01 hrs, Volume= 0.255 af, Depth&gt; 1.24"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Type II 24-hr 10-Yr Rainfall=3.50"

Area (sf)	CN	Description
39,025	61	>75% Grass cover, Good, HSG B
* 68,400	85	Gravel, HSG B
107,425	76	Weighted Average
107,425		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
8.1	100	0.0440	0.21		<b>Sheet Flow, Sheet Flow</b>
					Grass: Short n= 0.150 P2= 2.50"
1.3	270	0.0450	3.42		<b>Shallow Concentrated Flow, Shallow Conc Flow</b>
					Unpaved Kv= 16.1 fps
9.4	370	Total			

**Summary for Link EX-A: AP-A**

Inflow Area = 2.466 ac, 0.00% Impervious, Inflow Depth &gt; 1.24" for 10-Yr event

Inflow = 5.19 cfs @ 12.01 hrs, Volume= 0.255 af

Primary = 5.19 cfs @ 12.01 hrs, Volume= 0.255 af, Atten= 0%, Lag= 0.0 min

Primary outflow = Inflow, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs

**21004 HydroCAD EX**

Type II 24-hr 100-Yr Rainfall=5.70"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 4

**Summary for Subcatchment 101: SC 101**

Runoff = 11.92 cfs @ 12.01 hrs, Volume= 0.593 af, Depth&gt; 2.88"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Type II 24-hr 100-Yr Rainfall=5.70"

Area (sf)	CN	Description
39,025	61	>75% Grass cover, Good, HSG B
* 68,400	85	Gravel, HSG B
107,425	76	Weighted Average
107,425		100.00% Pervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
8.1	100	0.0440	0.21		<b>Sheet Flow, Sheet Flow</b>
					Grass: Short n= 0.150 P2= 2.50"
1.3	270	0.0450	3.42		<b>Shallow Concentrated Flow, Shallow Conc Flow</b>
					Unpaved Kv= 16.1 fps
9.4	370	Total			

**Summary for Link EX-A: AP-A**

Inflow Area = 2.466 ac, 0.00% Impervious, Inflow Depth &gt; 2.88" for 100-Yr event


Inflow = 11.92 cfs @ 12.01 hrs, Volume= 0.593 af

Primary = 11.92 cfs @ 12.01 hrs, Volume= 0.593 af, Atten= 0%, Lag= 0.0 min

Primary outflow = Inflow, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs

## Appendix H

### Proposed Drainage Map & Analysis



PROJECT INFORMATION:

OWNER/APPLICANT:  
DAIM LOGISTICS, INC.  
128 PARK DRIVE  
FULTONVILLE, NY 12072

PROPERTY TAX MAP NUMBER  
52.-4-3.12

PARCEL AREA:  
199,505± SF / 4.58± AC

MUNICIPALITY:  
TOWN OF GLEN, MONTGOMERY COUNTY

TOTAL PROJECT AREA:  
2.47± ACRES

GENERAL NOTES:


1. ALL SURVEY INFORMATION IS REFERENCED TO:  
1.1. MAP ENTITLED "SITE PLAN DAIM LOGISTICS, LOT 3 GLEN CANAL VIEW BUSINESS PARK" PREPARED BY ABD ENGINEERS DATED FEBRUARY 2009 AND LAST REVISED MARCH 27, 2009.  
1.2. SURVEY UPDATE PREPARED BY GERALD R GRAY PLS, FROM A FEBRUARY 2021 FIELD SURVEY. FIELD SURVEY WAS CONDUCTED IN THE AREA OF THE PROPOSED IMPROVEMENTS. OTHER PLANIMETRIC AND UTILITY FEATURES SHOWN ARE BASED UPON MAP REFERENCE 1.
2. THIS MAP IS NOT A SURVEY. INFORMATION SHOWN IS FROM MAP REFERENCES ABOVE AND FOR GENERAL INFORMATION AND DESIGN PURPOSES ONLY. A LICENSED LAND SURVEYOR SHALL STAKE OUT ANY BUILDINGS OR SEPTIC AREAS TO CONFIRM THE SETBACKS INDICATED.
3. NORTH IS REFERENCED TO NAD 83 NEW YORK STATE PLANES EAST ZONE. ELEVATIONS ARE BASED ON MAP REFERENCE 1.

PRIOR TO ANY EARTH DISTURBANCE THE CONTRACTOR SHALL CALL IN A TICKET TO DIG SAFE NY AND OBTAIN A CLEAR TO DIG

IT IS A VIOLATION OF SECTION 7209 OF THE NYS EDUCATION LAW FOR ANY PERSON TO ALTER ANY ITEM ON THIS PLAN IN ANY WAY UNLESS HE/SHE IS ACTING UNDER THE DIRECT SUPERVISION OF A PROFESSIONAL ENGINEER.

No.	Revision	Description	Date

CHRISTOPHER D. LONGO, PE  
N.Y.S. LIC. # 095840






EMPIRE ENGINEERING, PLLC  
1900 DUANESBURG ROAD  
DUANESBURG, NY 12056  
PH: (518) 858-4117  
EMAIL: CLONGO@EMPIREENG.NET

PROJECT  
**LOT 3D - PARK DRIVE  
GLEN CANAL VIEW PARK**

TOWN OF GLEN  
FULTONVILLE, NY 12072

PROPOSED DRAINAGE PLAN		
Date	9/27/2023	Sheet
Scale	1"=80'	<b>DR-2</b> Sheet 2 of 2





**21004 HydroCAD PR**

Type II 24-hr 1-Yr Rainfall=2.20"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 2

**Summary for Subcatchment 201: SC 201**

Runoff = 2.09 cfs @ 11.97 hrs, Volume= 0.094 af, Depth&gt; 1.11"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Type II 24-hr 1-Yr Rainfall=2.20"

Area (sf)	CN	Description
25,300	98	Roofs, HSG B
9,275	96	Gravel surface, HSG B
9,825	61	>75% Grass cover, Good, HSG B
44,400	89	Weighted Average
19,100		43.02% Pervious Area
25,300		56.98% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
6.0					Direct Entry, Direct Entry

**Summary for Subcatchment 202: SC 202**

Runoff = 2.45 cfs @ 11.97 hrs, Volume= 0.116 af, Depth&gt; 1.48"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Type II 24-hr 1-Yr Rainfall=2.20"

Area (sf)	CN	Description
25,000	98	Roofs, HSG B
12,500	96	Gravel surface, HSG B
3,400	61	>75% Grass cover, Good, HSG B
40,900	94	Weighted Average
15,900		38.88% Pervious Area
25,000		61.12% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
6.0					Direct Entry, Direct Entry

**Summary for Subcatchment 203: SC 203**

Runoff = 0.02 cfs @ 12.05 hrs, Volume= 0.004 af, Depth&gt; 0.09"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Type II 24-hr 1-Yr Rainfall=2.20"

Area (sf)	CN	Description
22,125	61	>75% Grass cover, Good, HSG B
22,125		100.00% Pervious Area

**21004 HydroCAD PR**

Type II 24-hr 1-Yr Rainfall=2.20"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 3

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
6.0	200		0.56		<b>Direct Entry, Direct Entry</b>

**Summary for Pond 1S: Dry Swale 201**

Inflow Area = 1.019 ac, 56.98% Impervious, Inflow Depth > 1.11" for 1-Yr event  
 Inflow = 2.09 cfs @ 11.97 hrs, Volume= 0.094 af  
 Outflow = 1.31 cfs @ 12.05 hrs, Volume= 0.083 af, Atten= 37%, Lag= 4.8 min  
 Primary = 1.06 cfs @ 12.05 hrs, Volume= 0.079 af  
 Secondary = 0.26 cfs @ 12.05 hrs, Volume= 0.003 af

Routing by Stor-Ind method, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
 Peak Elev= 414.26' @ 12.05 hrs Surf.Area= 2,671 sf Storage= 1,234 cf

Plug-Flow detention time= 63.1 min calculated for 0.083 af (88% of inflow)  
 Center-of-Mass det. time= 24.0 min ( 807.0 - 783.0 )

Volume	Invert	Avail.Storage	Storage Description
#1	411.00'	892 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc) 2,230 cf Overall x 40.0% Voids
#2	414.00'	5,258 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc)
		6,150 cf	Total Available Storage

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
411.00	1,115	0	0
413.00	1,115	2,230	2,230

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
414.00	1,115	0	0
415.00	2,840	1,978	1,978
416.00	3,720	3,280	5,258

Device	Routing	Invert	Outlet Devices
#1	Primary	412.00'	<b>6.0" Round Culvert</b> L= 10.0' CPP, projecting, no headwall, Ke= 0.900 Inlet / Outlet Invert= 412.00' / 411.90' S= 0.0100 ' /' Cc= 0.900 n= 0.013 Corrugated PE, smooth interior, Flow Area= 0.20 sf
#2	Secondary	414.00'	<b>2.0' long x 8.0' breadth Broad-Crested Rectangular Weir X 0.40</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74
#3	Secondary	415.50'	<b>2.0' long x 8.0' breadth Broad-Crested Rectangular Weir</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74

**21004 HydroCAD PR**

Type II 24-hr 1-Yr Rainfall=2.20"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 4

**Primary OutFlow** Max=1.06 cfs @ 12.05 hrs HW=414.25' (Free Discharge)

1=Culvert (Inlet Controls 1.06 cfs @ 5.38 fps)

**Secondary OutFlow** Max=0.25 cfs @ 12.05 hrs HW=414.25' (Free Discharge)

2=Broad-Crested Rectangular Weir (Weir Controls 0.25 cfs @ 0.50 fps)

3=Broad-Crested Rectangular Weir (Controls 0.00 cfs)

**Summary for Pond 2S: Dry Swale 202**

Inflow Area = 0.939 ac, 61.12% Impervious, Inflow Depth > 1.48" for 1-Yr event  
 Inflow = 2.45 cfs @ 11.97 hrs, Volume= 0.116 af  
 Outflow = 1.40 cfs @ 12.06 hrs, Volume= 0.115 af, Atten= 43%, Lag= 5.5 min  
 Primary = 1.07 cfs @ 12.06 hrs, Volume= 0.111 af  
 Secondary = 0.33 cfs @ 12.06 hrs, Volume= 0.004 af

Routing by Stor-Ind method, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
 Peak Elev= 414.30' @ 12.06 hrs Surf.Area= 2,380 sf Storage= 1,038 cf

Plug-Flow detention time= 12.3 min calculated for 0.115 af (99% of inflow)  
 Center-of-Mass det. time= 9.5 min ( 770.8 - 761.3 )

Volume	Invert	Avail.Storage	Storage Description
#1	412.00'	640 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc) 1,600 cf Overall x 40.0% Voids
#2	414.00'	5,150 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc)
		5,790 cf	Total Available Storage

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
412.00	800	0	0
414.00	800	1,600	1,600

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
414.00	1,050	0	0
415.00	2,800	1,925	1,925
416.00	3,650	3,225	5,150

Device	Routing	Invert	Outlet Devices
#1	Primary	412.00'	<b>6.0" Round Culvert</b> L= 10.0' CPP, projecting, no headwall, Ke= 0.900 Inlet / Outlet Invert= 412.00' / 411.90' S= 0.0100 ' S= 0.0100 ' Cc= 0.900 n= 0.013 Corrugated PE, smooth interior, Flow Area= 0.20 sf
#2	Secondary	414.00'	<b>2.0' long x 8.0' breadth Broad-Crested Rectangular Weir X 0.40</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74
#3	Secondary	415.50'	<b>2.0' long x 8.0' breadth Broad-Crested Rectangular Weir</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50

**21004 HydroCAD PR**

Type II 24-hr 1-Yr Rainfall=2.20"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 5

Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64  
2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74

**Primary OutFlow** Max=1.07 cfs @ 12.06 hrs HW=414.30' (Free Discharge)

1=Culvert (Inlet Controls 1.07 cfs @ 5.44 fps)

**Secondary OutFlow** Max=0.32 cfs @ 12.06 hrs HW=414.30' (Free Discharge)

2=Broad-Crested Rectangular Weir (Weir Controls 0.32 cfs @ 0.54 fps)

3=Broad-Crested Rectangular Weir (Controls 0.00 cfs)

**Summary for Pond FB: Forebay**

Inflow Area = 2.466 ac, 46.82% Impervious, Inflow Depth > 0.98" for 1-Yr event  
Inflow = 2.74 cfs @ 12.05 hrs, Volume= 0.202 af  
Outflow = 0.23 cfs @ 13.30 hrs, Volume= 0.107 af, Atten= 92%, Lag= 74.8 min  
Primary = 0.23 cfs @ 13.30 hrs, Volume= 0.107 af  
Secondary = 0.00 cfs @ 5.00 hrs, Volume= 0.000 af

Routing by Stor-Ind method, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Peak Elev= 412.15' @ 13.30 hrs Surf.Area= 3,432 sf Storage= 5,494 cf

Plug-Flow detention time= 223.8 min calculated for 0.107 af (53% of inflow)  
Center-of-Mass det. time= 143.3 min ( 931.5 - 788.1 )

Volume	Invert	Avail.Storage	Storage Description
#1	410.00'	18,838 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc)
Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
410.00	1,675	0	0
413.00	4,125	8,700	8,700
414.00	5,050	4,588	13,288
415.00	6,050	5,550	18,838

Device	Routing	Invert	Outlet Devices
#1	Primary	413.00'	<b>8.0' long x 8.0' breadth Broad-Crested Rectangular Weir X 0.40</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74
#2	Secondary	414.00'	<b>8.0' long x 8.0' breadth Broad-Crested Rectangular Weir</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74
#3	Primary	411.50'	<b>4.0" Round Culvert</b> L= 50.0' CPP, projecting, no headwall, Ke= 0.900 Inlet / Outlet Invert= 411.50' / 410.90' S= 0.0120 ' S= 0.0120 ' Cc= 0.900 n= 0.013 Corrugated PE, smooth interior, Flow Area= 0.09 sf

## 21004 HydroCAD PR

Type II 24-hr 1-Yr Rainfall=2.20"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 6

**Primary OutFlow** Max=0.23 cfs @ 13.30 hrs HW=412.15' (Free Discharge)

└─**1=Broad-Crested Rectangular Weir** ( Controls 0.00 cfs)

└─**3=Culvert** (Barrel Controls 0.23 cfs @ 2.61 fps)

**Secondary OutFlow** Max=0.00 cfs @ 5.00 hrs HW=410.00' (Free Discharge)

└─**2=Broad-Crested Rectangular Weir** ( Controls 0.00 cfs)

### Summary for Link PR-A: AP-A

Inflow Area = 2.466 ac, 46.82% Impervious, Inflow Depth > 0.52" for 1-Yr event

Inflow = 0.23 cfs @ 13.30 hrs, Volume= 0.107 af

Primary = 0.23 cfs @ 13.30 hrs, Volume= 0.107 af, Atten= 0%, Lag= 0.0 min

Primary outflow = Inflow, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs

**21004 HydroCAD PR**

Prepared by {enter your company name here}

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Type II 24-hr 10-Yr Rainfall=3.50"

Printed 9/27/2023

Page 7

**Summary for Subcatchment 201: SC 201**

Runoff = 4.02 cfs @ 11.97 hrs, Volume= 0.187 af, Depth&gt; 2.20"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Type II 24-hr 10-Yr Rainfall=3.50"

Area (sf)	CN	Description
25,300	98	Roofs, HSG B
9,275	96	Gravel surface, HSG B
9,825	61	>75% Grass cover, Good, HSG B
44,400	89	Weighted Average
19,100		43.02% Pervious Area
25,300		56.98% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
6.0					Direct Entry, Direct Entry

**Summary for Subcatchment 202: SC 202**

Runoff = 4.23 cfs @ 11.96 hrs, Volume= 0.208 af, Depth&gt; 2.66"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Type II 24-hr 10-Yr Rainfall=3.50"

Area (sf)	CN	Description
25,000	98	Roofs, HSG B
12,500	96	Gravel surface, HSG B
3,400	61	>75% Grass cover, Good, HSG B
40,900	94	Weighted Average
15,900		38.88% Pervious Area
25,000		61.12% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
6.0					Direct Entry, Direct Entry

**Summary for Subcatchment 203: SC 203**

Runoff = 0.43 cfs @ 11.99 hrs, Volume= 0.021 af, Depth&gt; 0.50"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Type II 24-hr 10-Yr Rainfall=3.50"

Area (sf)	CN	Description
22,125	61	>75% Grass cover, Good, HSG B
22,125		100.00% Pervious Area

**21004 HydroCAD PR**

Type II 24-hr 10-Yr Rainfall=3.50"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 8

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
6.0	200		0.56		<b>Direct Entry, Direct Entry</b>

**Summary for Pond 1S: Dry Swale 201**

Inflow Area = 1.019 ac, 56.98% Impervious, Inflow Depth > 2.20" for 10-Yr event  
 Inflow = 4.02 cfs @ 11.97 hrs, Volume= 0.187 af  
 Outflow = 2.44 cfs @ 12.05 hrs, Volume= 0.175 af, Atten= 39%, Lag= 5.1 min  
 Primary = 1.17 cfs @ 12.05 hrs, Volume= 0.146 af  
 Secondary = 1.27 cfs @ 12.05 hrs, Volume= 0.029 af

Routing by Stor-Ind method, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
 Peak Elev= 414.70' @ 12.05 hrs Surf.Area= 3,444 sf Storage= 2,104 cf

Plug-Flow detention time= 44.3 min calculated for 0.175 af (93% of inflow)  
 Center-of-Mass det. time= 21.7 min ( 789.2 - 767.5 )

Volume	Invert	Avail.Storage	Storage Description
#1	411.00'	892 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc) 2,230 cf Overall x 40.0% Voids
#2	414.00'	5,258 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc)
		6,150 cf	Total Available Storage

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
411.00	1,115	0	0
413.00	1,115	2,230	2,230

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
414.00	1,115	0	0
415.00	2,840	1,978	1,978
416.00	3,720	3,280	5,258

Device	Routing	Invert	Outlet Devices
#1	Primary	412.00'	<b>6.0" Round Culvert</b> L= 10.0' CPP, projecting, no headwall, Ke= 0.900 Inlet / Outlet Invert= 412.00' / 411.90' S= 0.0100 ' /' Cc= 0.900 n= 0.013 Corrugated PE, smooth interior, Flow Area= 0.20 sf
#2	Secondary	414.00'	<b>2.0' long x 8.0' breadth Broad-Crested Rectangular Weir X 0.40</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74
#3	Secondary	415.50'	<b>2.0' long x 8.0' breadth Broad-Crested Rectangular Weir</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74



**21004 HydroCAD PR**

Type II 24-hr 10-Yr Rainfall=3.50"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 9

**Primary OutFlow** Max=1.17 cfs @ 12.05 hrs HW=414.70' (Free Discharge)

1=Culvert (Inlet Controls 1.17 cfs @ 5.95 fps)

**Secondary OutFlow** Max=1.27 cfs @ 12.05 hrs HW=414.70' (Free Discharge)

2=Broad-Crested Rectangular Weir (Weir Controls 1.27 cfs @ 0.90 fps)

3=Broad-Crested Rectangular Weir (Controls 0.00 cfs)

**Summary for Pond 2S: Dry Swale 202**

Inflow Area = 0.939 ac, 61.12% Impervious, Inflow Depth > 2.66" for 10-Yr event  
 Inflow = 4.23 cfs @ 11.96 hrs, Volume= 0.208 af  
 Outflow = 2.54 cfs @ 12.05 hrs, Volume= 0.207 af, Atten= 40%, Lag= 5.3 min  
 Primary = 1.18 cfs @ 12.05 hrs, Volume= 0.177 af  
 Secondary = 1.36 cfs @ 12.05 hrs, Volume= 0.030 af

Routing by Stor-Ind method, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
 Peak Elev= 414.74' @ 12.05 hrs Surf.Area= 3,137 sf Storage= 1,885 cf

Plug-Flow detention time= 11.7 min calculated for 0.206 af (99% of inflow)  
 Center-of-Mass det. time= 9.5 min ( 758.6 - 749.1 )

Volume	Invert	Avail.Storage	Storage Description
#1	412.00'	640 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc) 1,600 cf Overall x 40.0% Voids
#2	414.00'	5,150 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc)
		5,790 cf	Total Available Storage

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
412.00	800	0	0
414.00	800	1,600	1,600

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
414.00	1,050	0	0
415.00	2,800	1,925	1,925
416.00	3,650	3,225	5,150

Device	Routing	Invert	Outlet Devices
#1	Primary	412.00'	<b>6.0" Round Culvert</b> L= 10.0' CPP, projecting, no headwall, Ke= 0.900 Inlet / Outlet Invert= 412.00' / 411.90' S= 0.0100 ' / ' Cc= 0.900 n= 0.013 Corrugated PE, smooth interior, Flow Area= 0.20 sf
#2	Secondary	414.00'	<b>2.0' long x 8.0' breadth Broad-Crested Rectangular Weir X 0.40</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74
#3	Secondary	415.50'	<b>2.0' long x 8.0' breadth Broad-Crested Rectangular Weir</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50

**21004 HydroCAD PR**

Type II 24-hr 10-Yr Rainfall=3.50"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 10

Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64  
2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74

**Primary OutFlow** Max=1.18 cfs @ 12.05 hrs HW=414.73' (Free Discharge)

1=Culvert (Inlet Controls 1.18 cfs @ 5.99 fps)

**Secondary OutFlow** Max=1.35 cfs @ 12.05 hrs HW=414.73' (Free Discharge)

2=Broad-Crested Rectangular Weir (Weir Controls 1.35 cfs @ 0.92 fps)

3=Broad-Crested Rectangular Weir (Controls 0.00 cfs)

**Summary for Pond FB: Forebay**

Inflow Area = 2.466 ac, 46.82% Impervious, Inflow Depth > 1.96" for 10-Yr event  
Inflow = 5.29 cfs @ 12.04 hrs, Volume= 0.403 af  
Outflow = 1.43 cfs @ 12.53 hrs, Volume= 0.263 af, Atten= 73%, Lag= 29.2 min  
Primary = 1.43 cfs @ 12.53 hrs, Volume= 0.263 af  
Secondary = 0.00 cfs @ 5.00 hrs, Volume= 0.000 af

Routing by Stor-Ind method, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Peak Elev= 413.27' @ 12.53 hrs Surf.Area= 4,372 sf Storage= 9,833 cf

Plug-Flow detention time= 197.4 min calculated for 0.263 af (65% of inflow)  
Center-of-Mass det. time= 128.8 min ( 904.9 - 776.1 )

Volume	Invert	Avail.Storage	Storage Description
#1	410.00'	18,838 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc)

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
410.00	1,675	0	0
413.00	4,125	8,700	8,700
414.00	5,050	4,588	13,288
415.00	6,050	5,550	18,838

Device	Routing	Invert	Outlet Devices
#1	Primary	413.00'	<b>8.0' long x 8.0' breadth Broad-Crested Rectangular Weir X 0.40</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74
#2	Secondary	414.00'	<b>8.0' long x 8.0' breadth Broad-Crested Rectangular Weir</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74
#3	Primary	411.50'	<b>4.0" Round Culvert</b> L= 50.0' CPP, projecting, no headwall, Ke= 0.900 Inlet / Outlet Invert= 411.50' / 410.90' S= 0.0120 ' S= 0.0120 ' Cc= 0.900 n= 0.013 Corrugated PE, smooth interior, Flow Area= 0.09 sf

## 21004 HydroCAD PR

Type II 24-hr 10-Yr Rainfall=3.50"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 11

**Primary OutFlow** Max=1.42 cfs @ 12.53 hrs HW=413.27' (Free Discharge)

└─**1=Broad-Crested Rectangular Weir** (Weir Controls 1.08 cfs @ 0.51 fps)

└─**3=Culvert** (Barrel Controls 0.34 cfs @ 3.88 fps)

**Secondary OutFlow** Max=0.00 cfs @ 5.00 hrs HW=410.00' (Free Discharge)

└─**2=Broad-Crested Rectangular Weir** ( Controls 0.00 cfs)

### Summary for Link PR-A: AP-A

Inflow Area = 2.466 ac, 46.82% Impervious, Inflow Depth > 1.28" for 10-Yr event

Inflow = 1.43 cfs @ 12.53 hrs, Volume= 0.263 af

Primary = 1.43 cfs @ 12.53 hrs, Volume= 0.263 af, Atten= 0%, Lag= 0.0 min

Primary outflow = Inflow, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs

**21004 HydroCAD PR**

Type II 24-hr 100-Yr Rainfall=6.19"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 12

**Summary for Subcatchment 201: SC 201**

Runoff = 8.03 cfs @ 11.96 hrs, Volume= 0.392 af, Depth&gt; 4.61"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Type II 24-hr 100-Yr Rainfall=6.19"

Area (sf)	CN	Description
25,300	98	Roofs, HSG B
9,275	96	Gravel surface, HSG B
9,825	61	>75% Grass cover, Good, HSG B
44,400	89	Weighted Average
19,100		43.02% Pervious Area
25,300		56.98% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
6.0					Direct Entry, Direct Entry

**Summary for Subcatchment 202: SC 202**

Runoff = 7.85 cfs @ 11.96 hrs, Volume= 0.400 af, Depth&gt; 5.11"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Type II 24-hr 100-Yr Rainfall=6.19"

Area (sf)	CN	Description
25,000	98	Roofs, HSG B
12,500	96	Gravel surface, HSG B
3,400	61	>75% Grass cover, Good, HSG B
40,900	94	Weighted Average
15,900		38.88% Pervious Area
25,000		61.12% Impervious Area

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
6.0					Direct Entry, Direct Entry

**Summary for Subcatchment 203: SC 203**

Runoff = 1.88 cfs @ 11.98 hrs, Volume= 0.082 af, Depth&gt; 1.93"

Runoff by SCS TR-20 method, UH=SCS, Weighted-CN, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Type II 24-hr 100-Yr Rainfall=6.19"

Area (sf)	CN	Description
22,125	61	>75% Grass cover, Good, HSG B
22,125		100.00% Pervious Area

**21004 HydroCAD PR**

Type II 24-hr 100-Yr Rainfall=6.19"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 13

Tc (min)	Length (feet)	Slope (ft/ft)	Velocity (ft/sec)	Capacity (cfs)	Description
6.0	200		0.56		<b>Direct Entry, Direct Entry</b>

**Summary for Pond 1S: Dry Swale 201**

Inflow Area = 1.019 ac, 56.98% Impervious, Inflow Depth > 4.61" for 100-Yr event  
 Inflow = 8.03 cfs @ 11.96 hrs, Volume= 0.392 af  
 Outflow = 4.78 cfs @ 12.05 hrs, Volume= 0.380 af, Atten= 40%, Lag= 5.3 min  
 Primary = 1.32 cfs @ 12.05 hrs, Volume= 0.267 af  
 Secondary = 3.46 cfs @ 12.05 hrs, Volume= 0.113 af

Routing by Stor-Ind method, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
 Peak Elev= 415.38' @ 12.05 hrs Surf.Area= 4,292 sf Storage= 4,021 cf

Plug-Flow detention time= 31.7 min calculated for 0.378 af (97% of inflow)  
 Center-of-Mass det. time= 18.9 min ( 770.1 - 751.2 )

Volume	Invert	Avail.Storage	Storage Description
#1	411.00'	892 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc) 2,230 cf Overall x 40.0% Voids
#2	414.00'	5,258 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc)
		6,150 cf	Total Available Storage

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
411.00	1,115	0	0
413.00	1,115	2,230	2,230

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
414.00	1,115	0	0
415.00	2,840	1,978	1,978
416.00	3,720	3,280	5,258

Device	Routing	Invert	Outlet Devices
#1	Primary	412.00'	<b>6.0" Round Culvert</b> L= 10.0' CPP, projecting, no headwall, Ke= 0.900 Inlet / Outlet Invert= 412.00' / 411.90' S= 0.0100 ' /' Cc= 0.900 n= 0.013 Corrugated PE, smooth interior, Flow Area= 0.20 sf
#2	Secondary	414.00'	<b>2.0' long x 8.0' breadth Broad-Crested Rectangular Weir X 0.40</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74
#3	Secondary	415.50'	<b>2.0' long x 8.0' breadth Broad-Crested Rectangular Weir</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74

**21004 HydroCAD PR**

Type II 24-hr 100-Yr Rainfall=6.19"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 14

**Primary OutFlow** Max=1.32 cfs @ 12.05 hrs HW=415.38' (Free Discharge)

1=Culvert (Inlet Controls 1.32 cfs @ 6.72 fps)

**Secondary OutFlow** Max=3.45 cfs @ 12.05 hrs HW=415.38' (Free Discharge)

2=Broad-Crested Rectangular Weir (Weir Controls 3.45 cfs @ 1.25 fps)

3=Broad-Crested Rectangular Weir (Controls 0.00 cfs)

**Summary for Pond 2S: Dry Swale 202**

Inflow Area = 0.939 ac, 61.12% Impervious, Inflow Depth > 5.11" for 100-Yr event  
 Inflow = 7.85 cfs @ 11.96 hrs, Volume= 0.400 af  
 Outflow = 4.70 cfs @ 12.05 hrs, Volume= 0.399 af, Atten= 40%, Lag= 5.4 min  
 Primary = 1.32 cfs @ 12.05 hrs, Volume= 0.293 af  
 Secondary = 3.38 cfs @ 12.05 hrs, Volume= 0.106 af

Routing by Stor-Ind method, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
 Peak Elev= 415.36' @ 12.05 hrs Surf.Area= 3,906 sf Storage= 3,628 cf

Plug-Flow detention time= 11.2 min calculated for 0.399 af (100% of inflow)  
 Center-of-Mass det. time= 9.4 min ( 748.1 - 738.7 )

Volume	Invert	Avail.Storage	Storage Description
#1	412.00'	640 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc) 1,600 cf Overall x 40.0% Voids
#2	414.00'	5,150 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc)
		5,790 cf	Total Available Storage

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
412.00	800	0	0
414.00	800	1,600	1,600

Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
414.00	1,050	0	0
415.00	2,800	1,925	1,925
416.00	3,650	3,225	5,150

Device	Routing	Invert	Outlet Devices
#1	Primary	412.00'	<b>6.0" Round Culvert</b> L= 10.0' CPP, projecting, no headwall, Ke= 0.900 Inlet / Outlet Invert= 412.00' / 411.90' S= 0.0100 ' / ' Cc= 0.900 n= 0.013 Corrugated PE, smooth interior, Flow Area= 0.20 sf
#2	Secondary	414.00'	<b>2.0' long x 8.0' breadth Broad-Crested Rectangular Weir X 0.40</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74
#3	Secondary	415.50'	<b>2.0' long x 8.0' breadth Broad-Crested Rectangular Weir</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50

**21004 HydroCAD PR**

Type II 24-hr 100-Yr Rainfall=6.19"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 15

Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64  
2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74

**Primary OutFlow** Max=1.32 cfs @ 12.05 hrs HW=415.36' (Free Discharge)

1=Culvert (Inlet Controls 1.32 cfs @ 6.70 fps)

**Secondary OutFlow** Max=3.37 cfs @ 12.05 hrs HW=415.36' (Free Discharge)

2=Broad-Crested Rectangular Weir (Weir Controls 3.37 cfs @ 1.24 fps)

3=Broad-Crested Rectangular Weir (Controls 0.00 cfs)

**Summary for Pond FB: Forebay**

Inflow Area = 2.466 ac, 46.82% Impervious, Inflow Depth > 4.19" for 100-Yr event  
Inflow = 10.88 cfs @ 12.02 hrs, Volume= 0.860 af  
Outflow = 8.14 cfs @ 12.16 hrs, Volume= 0.677 af, Atten= 25%, Lag= 8.4 min  
Primary = 8.14 cfs @ 12.16 hrs, Volume= 0.677 af  
Secondary = 0.00 cfs @ 5.00 hrs, Volume= 0.000 af

Routing by Stor-Ind method, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs  
Peak Elev= 413.93' @ 12.16 hrs Surf.Area= 4,989 sf Storage= 12,955 cf

Plug-Flow detention time= 111.0 min calculated for 0.677 af (79% of inflow)  
Center-of-Mass det. time= 55.7 min ( 819.0 - 763.3 )

Volume	Invert	Avail.Storage	Storage Description
#1	410.00'	18,838 cf	<b>Custom Stage Data (Prismatic)</b> Listed below (Recalc)
Elevation (feet)	Surf.Area (sq-ft)	Inc.Store (cubic-feet)	Cum.Store (cubic-feet)
410.00	1,675	0	0
413.00	4,125	8,700	8,700
414.00	5,050	4,588	13,288
415.00	6,050	5,550	18,838

Device	Routing	Invert	Outlet Devices
#1	Primary	413.00'	<b>8.0' long x 8.0' breadth Broad-Crested Rectangular Weir X 0.40</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74
#2	Secondary	414.00'	<b>8.0' long x 8.0' breadth Broad-Crested Rectangular Weir</b> Head (feet) 0.20 0.40 0.60 0.80 1.00 1.20 1.40 1.60 1.80 2.00 2.50 3.00 3.50 4.00 4.50 5.00 5.50 Coef. (English) 2.43 2.54 2.70 2.69 2.68 2.68 2.66 2.64 2.64 2.64 2.65 2.65 2.66 2.66 2.68 2.70 2.74
#3	Primary	411.50'	<b>4.0" Round Culvert</b> L= 50.0' CPP, projecting, no headwall, Ke= 0.900 Inlet / Outlet Invert= 411.50' / 410.90' S= 0.0120 ' S= 0.0120 ' Cc= 0.900 n= 0.013 Corrugated PE, smooth interior, Flow Area= 0.09 sf

## 21004 HydroCAD PR

Type II 24-hr 100-Yr Rainfall=6.19"

Prepared by {enter your company name here}

Printed 9/27/2023

HydroCAD® 10.00-19 s/n 09716 © 2016 HydroCAD Software Solutions LLC

Page 16

**Primary OutFlow** Max=8.07 cfs @ 12.16 hrs HW=413.93' (Free Discharge)

↑ **1=Broad-Crested Rectangular Weir** (Weir Controls 7.68 cfs @ 1.03 fps)

└ **3=Culvert** (Barrel Controls 0.39 cfs @ 4.47 fps)

**Secondary OutFlow** Max=0.00 cfs @ 5.00 hrs HW=410.00' (Free Discharge)

↑ **2=Broad-Crested Rectangular Weir** ( Controls 0.00 cfs)

### Summary for Link PR-A: AP-A

Inflow Area = 2.466 ac, 46.82% Impervious, Inflow Depth > 3.29" for 100-Yr event

Inflow = 8.14 cfs @ 12.16 hrs, Volume= 0.677 af

Primary = 8.14 cfs @ 12.16 hrs, Volume= 0.677 af, Atten= 0%, Lag= 0.0 min

Primary outflow = Inflow, Time Span= 5.00-20.00 hrs, dt= 0.05 hrs



## Appendix I

### Water Quality Worksheets

Is this project subject to Chapter 10 of the NYS Design Manual (i.e. WQv is equal to post-development 1 year runoff volume)?.....

No

Design Point: 1

P= 1.10

inch

*Manually enter P, Total Area and Impervious Cover.***Breakdown of Subcatchments**

Catchment Number	Total Area (Acres)	Impervious Area (Acres)	Percent Impervious %	Rv	WQv (ft <sup>3</sup> )	Description
1	1.02	0.79	77%	0.75	3,043	Dry Swale
2	0.94	0.86	91%	0.87	3,278	Dry Swale
3	0.51	0.00	0%	0.05	102	No Impervious
4						
5						
6						
7						
8						
9						
10						
Subtotal (1-30)	2.47	1.65	67%	0.65	<b>6,423</b>	<b>Subtotal 1</b>
<b>Total</b>	<b>2.47</b>	<b>1.65</b>	<b>67%</b>	<b>0.65</b>	<b>6,423</b>	<b>Initial WQv</b>

**Identify Runoff Reduction Techniques By Area**

Technique	Total Contributing Area	Contributing Impervious Area	Notes
	(Acre)	(Acre)	
Conservation of Natural Areas	0.00	0.00	<i>minimum 10,000 sf</i>
Riparian Buffers	0.00	0.00	<i>maximum contributing length 75 feet to 150 feet</i>
Filter Strips	0.00	0.00	
Tree Planting	0.00	0.00	<i>Up to 100 sf directly connected impervious area may be subtracted per tree</i>
<b>Total</b>	<b>0.00</b>	<b>0.00</b>	

**Recalculate WQv after application of Area Reduction Techniques**

	Total Area (Acres)	Impervious Area (Acres)	Percent Impervious %	Runoff Coefficient Rv	WQv (ft <sup>3</sup> )
"<<Initial WQv"	2.47	1.65	67%	0.65	6,423
Subtract Area	0.00	0.00			
WQv adjusted after Area Reductions	<b>2.47</b>	<b>1.65</b>	67%	0.65	6,423
Disconnection of Rooftops		0.00			
Adjusted WQv after Area Reduction and Rooftop Disconnect	2.47	1.65	67%	0.65	<b>6,423</b>
WQv reduced by Area Reduction techniques					0

Runoff Reduction Volume and Treated volumes						
	Runoff Reduction Techniques/Standard SMPs		Total Contributing Area	Total Contributing Impervious Area	WQv Reduced (RRv)	WQv Treated
			(acres)	(acres)	cf	cf
Area/Volume Reduction	Conservation of Natural Areas	RR-1	0.00	0.00		
	Sheetflow to Riparian Buffers/Filter Strips	RR-2	0.00	0.00		
	Tree Planting/Tree Pit	RR-3	0.00	0.00		
	Disconnection of Rooftop Runoff	RR-4		0.00		
	Vegetated Swale	RR-5	0.00	0.00	0	
	Rain Garden	RR-6	0.00	0.00	0	
	Stormwater Planter	RR-7	0.00	0.00	0	
	Rain Barrel/Cistern	RR-8	0.00	0.00	0	
	Porous Pavement	RR-9	0.00	0.00	0	
	Green Roof (Intensive & Extensive)	RR-10	0.00	0.00	0	
Standard SMPs w/RRV Capacity	Infiltration Trench	I-1	0.00	0.00	0	0
	Infiltration Basin	I-2	0.00	0.00	0	0
	Dry Well	I-3	0.00	0.00	0	0
	Underground Infiltration System	I-4				
	Bioretention & Infiltration Bioretention	F-5	0.00	0.00	0	0
	Dry swale	O-1	1.96	1.65	3973	761
Standard SMPs	Micropool Extended Detention (P-1)	P-1	0.51	0.00		1689.000
	Wet Pond (P-2)	P-2				
	Wet Extended Detention (P-3)	P-3				
	Multiple Pond system (P-4)	P-4				
	Pocket Pond (p-5)	P-5				
	Surface Sand filter (F-1)	F-1				
	Underground Sand filter (F-2)	F-2				
	Perimeter Sand Filter (F-3)	F-3				
	Organic Filter (F-4)	F-4				
	Shallow Wetland (W-1)	W-1				
	Extended Detention Wetland (W-2)	W-2				
	Pond/Wetland System (W-3)	W-3				
	Pocket Wetland (W-4)	W-4				
	Wet Swale (O-2)	O-2				
Totals by Area Reduction →			0.00	0.00	0	
Totals by Volume Reduction →			0.00	0.00	0	
Totals by Standard SMP w/RRV →			1.96	1.65	3973	761
Totals by Standard SMP →			0.51	0.00		1689
Totals ( Area + Volume + all SMPs) →			2.47	1.65	3,973	2,450

# Minimum RRv


## Enter the Soils Data for the site

Soil Group	Acres	S
A		55%
B	2.47	40%
C		30%
D		20%
Total Area	2.47	


## Calculate the Minimum RRv

S =	0.40	
Impervious =	1.65	acre
Precipitation	1.1	in
Rv	0.95	
Minimum RRv	2,504	ft3
	0.06	af

# Dry Swale Worksheet

<b>Design Point:</b>	1						
<b>Enter Site Data For Drainage Area to be Treated by Practice</b>							
Catchment Number	Total Area (Acres)	Impervious Area (Acres)	Percent Impervious %	Rv	WQv (ft <sup>3</sup> )	Precipitation (in)	Description
1	1.02	0.79	0.77	0.75	3042.67	1.10	Dry Swale
Enter Impervious Area Reduced by Disconnection of Rooftops		0.00	77%	0.75	3,043	<<WQv after adjusting for Disconnected Rooftops	
<b>Pretreatment Provided</b>					<b>Pretreatment Technique</b>		
Pretreatment (10% of WQv)			304	ft <sup>3</sup>	Check Dam		
<b>Calculate Available Storage Capacity</b>							
Bottom Width	4	ft	Design with a bottom width no greater than eight feet to avoid potential gullyng and channel braiding, but no less than two feet				
Side Slope (X:1)	3	Okay	Channels shall be designed with moderate side slopes (flatter than 3:1) for most conditions. 2:1 is the absolute maximum side slope				
Longitudinal Slope	1%	Okay	Maximum longitudinal slope shall be 4%				
Flow Depth	2	ft	Maximum ponding depth of one foot at the mid-point of the channel, and a maximum depth of 18" at the end point of the channel (for storage of the WQv)				
Top Width	16	ft					
Area	20.00	sf					
Minimum Length	137	ft					
Actual Length	270	ft					
End Point Depth check	1.50	Okay	A maximum depth of 18" at the end point of the channel (for storage of the WQv)				
Storage Capacity	5,704	ft <sup>3</sup>					
Soil Group (HSG)			B				
<b>Runoff Reduction</b>							
Is the Dry Swale contributing flow to another practice?			No	Select Practice			
<b>RRv</b>	<b>2,282</b>	<b>ft<sup>3</sup></b>	<b>Runoff Reduction equals 40% in HSG A and B and 20% in HSG C and D up to the WQv</b>				
Volume Treated	761	ft <sup>3</sup>	This is the difference between the WQv calculated and the runoff reduction achieved in the swale				
Volume Directed	0	ft <sup>3</sup>	This volume is directed another practice				

# Dry Swale Worksheet

<b>Design Point:</b>	<b>1</b>						
<b>Enter Site Data For Drainage Area to be Treated by Practice</b>							
Catchment Number	Total Area (Acres)	Impervious Area (Acres)	Percent Impervious %	Rv	WQv (ft <sup>3</sup> )	Precipitation (in)	Description
2	0.94	0.86	0.91	0.87	3278.25	1.10	Dry Swale
Enter Impervious Area Reduced by Disconnection of Rooftops		0.00	91%	0.87	3,278	<<WQv after adjusting for Disconnected Rooftops	
<b>Pretreatment Provided</b>					<b>Pretreatment Technique</b>		
Pretreatment (10% of WQv)			328	ft <sup>3</sup>	Check Dam		
<b>Calculate Available Storage Capacity</b>							
Bottom Width	4	ft	Design with a bottom width no greater than eight feet to avoid potential gullyng and channel braiding, but no less than two feet				
Side Slope (X:1)	3	Okay	Channels shall be designed with moderate side slopes (flatter than 3:1) for most conditions. 2:1 is the absolute maximum side slope				
Longitudinal Slope	1%	Okay	Maximum longitudinal slope shall be 4%				
Flow Depth	2	ft	Maximum ponding depth of one foot at the mid-point of the channel, and a maximum depth of 18" at the end point of the channel (for storage of the WQv)				
Top Width	16	ft					
Area	20.00	sf					
Minimum Length	148	ft					
Actual Length	195	ft					
End Point Depth check	1.50	Okay	A maximum depth of 18" at the end point of the channel (for storage of the WQv)				
Storage Capacity	4,228	ft <sup>3</sup>					
Soil Group (HSG)			B				
<b>Runoff Reduction</b>							
Is the Dry Swale contributing flow to another practice?			Yes	Select Practice	Other/Standard SMP		
<b>RRv</b>	<b>1,691</b>	<b>ft<sup>3</sup></b>	<b>Runoff Reduction equals 40% in HSG A and B and 20% in HSG C and D up to the WQv</b>				
Volume Treated	0	ft <sup>3</sup>	This is the difference between the WQv calculated and the runoff reduction achieved in the swale				
Volume Directed	1,587	ft <sup>3</sup>	This volume is directed another practice				

# NOI QUESTIONS

#	NOI Question	Reported Value	
		cf	af
28	Total Water Quality Volume (WQv) Required	6423	0.147
30	Total RRV Provided	3973	0.091
31	Is RRV Provided ≥WQv Required?	No	
32	Minimum RRV	2504	0.057
32a	Is RRV Provided ≥ Minimum RRV Required?	Yes	
33a	Total WQv Treated	2450	0.056
34	Sum of Volume Reduced & Treated	6423	0.147
34	Sum of Volume Reduced and Treated	6423	0.147
35	Is Sum RRV Provided and WQv Provided ≥WQv Required?	Yes	

Apply Peak Flow Attenuation			
36	Channel Protection	$C_{pv}$	
37	Overbank	$Q_p$	
37	Extreme Flood Control	$Q_f$	
	Are Quantity Control requirements met?	Yes	Plan Completed

Appendix J

Project Plan Sheets